




The Professional's Choice



Hand Tools



Ladders & Access



Crimp-Pak



Safety



Screws & Fixings



Holesaws



Drills & Accessories



Commodities



Site Electrical



Industrial Glands



Product Catalogue

2018 - 20



Welcome to Engex



Engex has developed rapidly over the past few years. We continually strive to offer the professional contractor innovative products, cutting edge design and premium performance throughout the expanding equipment portfolio.

From the range of specially designed hand tools providing the best in comfort and durability to the collection of ladders and access equipment for light or professional use, Engex guarantee to offer quality and value-for-money to our customers.

It is our mission to ensure that the products are manufactured under stringent quality control systems in accordance with relevant international standards.

We are committed to providing excellent levels of customer service and support at all times.

	Hand Tools High Leverage Tools, VDE Tools, Toolkits, VDE Screwdrivers, Screwdriver Sets, Knives, Hacksaws, Miscellaneous Tools, Tool Storage
	Ladders & Access Fiberglass Step Ladders, Platform Ladders, Extension Ladders, Combination Ladders, Ladder Clamps, Multifunctional Ladders, Hop Ups
	Crimp-Pak Cable Ties, Cable Tie Accessories, Hand Tools, Pre-Insulated Terminals, Cord End Terminals, Copper Tube Terminals, Cord Tube Splices, Crimp Sets
	Safety Sign Merchandisers, Fire Signs, Exit Signs, Heavy Duty A-Boards, Lockout Kits
	Screws & Fittings Screws, Fixings, Cable Clips, Fastening
	Holesaws Bi-Metal, Hi-Cobalt, Sheet Steel, Holesaw Kit, Holesaw Accessories
	Drills & Accessories Drill Bits, Drill Accessories, Drill Step Set
	Commodities Cable Rods Kits, Nylon Draw Tape, Cable Spoolers, Earthing, Grommets, Miscellaneous, Cable Safety, Floor Cable Protectors
	Site Lighting Floodlights, Extension Reel, Extension Leads, Junction Box, Transformers
	Glands BW Glands, CW Glands, E1W Glands, CXT Glands, Armoured Gland Selection Chart, Gland Accessories

01	04-35
02	36-49
03	50-69
04	70-81
05	82-89
06	90-95
07	96-103
08	104-119
09	120-129
10	130-137



HAND TOOLS

High Leverage Tools

VDE Tools

Toolkits

VDE Screwdrivers

Screwdriver Sets

Knives

Hacksaws

Miscellaneous Tools

Tool Storage



High Leverage Tools

High Leverage VDE Diagonal Stripping Cutters

Features & Benefits

High leverage diagonal cutting pliers. Precision cutting edge. For hard and piano wires. 1.5mm² or 2.5mm² wire stripping function. AWG: 15+13. Weight: 300g.

Order Codes

CODE	DESCRIPTION	SIZE
GX-DSC180HL	High Leverage Diagonal Stripping Cutters	180mm

Cutter Shape




For hard wires
and piano wires

Precision
Cutting Edge

VDE Tested

High Leverage



VDE Tools

Hand Tools



VDE Diagonal Stripping Pliers

Features & Benefits

Vanadium electric steel; forged, oil hardened. Precision stripping holes for single (solid) conductors of 1.5 and 2.5mm². The essential pliers for electrical installation work. AWG: 15+13. Weight: 230g.

Order Codes

CODE	DESCRIPTION	SIZE
GX-DCS160	Diagonal Stripping Cutters	160mm

Cutter Shape





High Leverage Tools

Hand Tools



High Leverage VDE Diagonal Cutting Pliers

Features & Benefits

High leverage diagonal cutting pliers. Precision cutting edge. VDE tested to IEC 60900 1000V.

Order Codes

CODE	DESCRIPTION	SIZE
GX-DC160HL	High Leverage Diagonal Cutting Pliers	160mm
GX-DC180HL	High Leverage Diagonal Cutting Pliers	180mm

Technical Specification

CODE	LENGTH	WEIGHT	MM	MM	MM	MM
GX-DC160HL	160mm	230g	4.0	3.0	2.0	1.6
GX-DC180HL	180mm	300g	4.0	3.0	2.0	1.6

Cutter Shape



High Leverage VDE Heavy Duty Diagonal Cutting Pliers

Features & Benefits

High leverage, heavy duty diagonal cutting pliers. Precision cutting edge. For hard and piano wires. VDE tested to IEC 60900 1000V.

Order Codes

CODE	DESCRIPTION	SIZE
GX-HDC200HL	High Leverage Heavy Duty Diagonal Cutting Pliers	200mm

Technical Specification

CODE	LENGTH	WEIGHT	MM	MM	MM	MM
GX-HDC200HL	200mm	290	5.0	3.5	2.4	2.0

Cutter Shape





Cutting Tools

VDE Cable Cutters

Features & Benefits

6" and 8" high quality VDE cable cutter. Precision cutting edge. VDE tested to IEC 60900 1000V.

Order Codes

CODE	DESCRIPTION	Ø mm	mm ²	WEIGHT	SIZE
GX-CC160	Cable Cutters 1000 VDE	9.5	22	240g	160mm
GX-CC200	Cable Cutters 1000 VDE	11.5	38	360g	200mm



GX-CC160

Cutter Shape



Superior High Leverage Cable Cutters

Features & Benefits

Super high leverage cable cutter. Suitable for cutting thick cable wire with a precision cutting edge.

Order Codes

CODE	DESCRIPTION	Ø mm	WEIGHT	SIZE
GX-CC240HL	Superior High Leverage Cable Cutters	13.6	400g	240mm



Cutter Shape



High Leverage Tools



High Leverage VDE Combination Pliers

Features & Benefits

High leverage combination pliers. Chrome vanadium steel. Drop forged and heat treated. Induction hardened cutting edges. Serrated gripping surfaces. IEC 60900 VDE/DIN safety pliers.


Order Codes

CODE	DESCRIPTION	SIZE
GX-CP160HL	High Leverage VDE Combination Pliers	160mm
GX-CP180HL	High Leverage VDE Combination Pliers	180mm
GX-CP200HL	High Leverage VDE Combination Pliers	200mm

Technical Specification

CODE	LENGTH	WEIGHT	Ø MM	MM	MM	MM
GX-CP160HL	160mm	230g	4.0	2.8	1.8	1.5
GX-CP180HL	180mm	290g	4.0	2.8	1.8	1.6
GX-CP200HL	200mm	380g	4.0	3.5	2.4	2.0

Head Shape



GX-CP160HL



High Leverage VDE Long Nose Pliers

Features & Benefits

High leveraged long nose pliers. Chrome vanadium steel. Drop forged and heat treated. Induction hardened cutting edges. Serrated gripping surfaces. IEC 60900 VDE/DIN safety pliers.



Order Codes

CODE	DESCRIPTION	SIZE
GX-LN160HL	High Leverage Long Nose Plier	160mm
GX-LN200HL	High Leverage Long Nose Plier	200mm

Technical Specification

CODE	LENGTH	WEIGHT	MM	MM	MM	MM
GX-LN160HL	160mm	170g	4.0	2.8	1.8	1.4
GX-LN200HL	200mm	250g	4.0	3.0	2.0	1.6



High Leverage VDE Bent Nose Pliers

Features & Benefits

High leveraged bent nose pliers. Chrome vanadium steel. Drop forged and heat treated. Induction hardened cutting edges. Serrated gripping surfaces. IEC 60900 VDE/DIN safety pliers.



Order Codes

CODE	DESCRIPTION	SIZE
GX-BN160HL	High Leverage Bent Nose Plier	160mm
GX-BN200HL	High Leverage Bent Nose Plier	200mm

Technical Specification

CODE	LENGTH	WEIGHT	MM	MM	MM	MM
GX-BN160HL	160mm	170g	4.0	2.8	1.8	1.4
GX-BN200HL	200mm	250g	4.0	3.0	2.0	1.6



VDE Wire Stripping Pliers (with spring)

Features & Benefits

6" wire stripping pliers. Opening spring and v-shape cutting edge. Drop forged and heat treated. Safety ergonomic soft handle. VDE tested to IEC 60900 1000V.

Order Codes

CODE	DESCRIPTION	Ø mm	mm ²	WEIGHT	mm
GX-WS160	Wire Stripping Pliers	5	10	205g	160mm


Cutter Shape



V - Shaped Cutting Edge

Safety Ergonomic Soft Handle

Opening Spring





Water Pump Pliers



Features & Benefits

Heat treated, chrome vanadium, steel forged water pump pliers. Hight quality, drop forged steel. Adjustable positions for different workpieces. Polished heads produce a precision appearance.

Order Codes

CODE	DESCRIPTION	JAW	WEIGHT	LENGTH
GX-WPN180	Water Pump Pliers	0-36	240g	180mm
GX-WPN240	Water Pump Pliers	0-50	390g	250mm
GX-WPN300	Water Pump Pliers	0-66	600g	300mm

Head Shape



GX-WPN240

High Leverage Plier Set

Set Contents

CODE	DESCRIPTION
GX-CP180HL	High Leverage Combination Pliers
GX-LN200HL	High Leverage Long Nose Pliers
GX-DSC180HL	High Leverage Cutting / Stripping Pliers

Order Codes

CODE	DESCRIPTION
GX-PS3HL	3 Piece Leverage VDE Cutter and Plier Set



Long Nose Pliers



Combination Pliers



Cutting / Stripping Pliers



14 Piece VDE Torque Driver Kit

Features & Benefits

Easy torque adjustment. 1 - 6Nm Torque range.
Torque highly accurate to EN ISO 6789:3003 $\pm$ 6%. Clear audio signal when the required torque is achieved. Factory calibration certificate included.

Order Codes

CODE	DESCRIPTION
GX-VDETORQUE	14 piece VDE Torque Screwdriver Set

Kit Contents

- 10 x VDE 1000V insulated screwdriver tips: Slotted 2.5,
- 3.0, 4.0, 5.5, 6.5, PZ0, PZ1, PZ2, PZ/FL 1, PZ/FL 2,
- 1 x fully adjustable torque handle,
- 1 x hexagon adjustment key
- 1 x HEX3
- 1 x HEX 4




Comes in a storage pouch



Kit Contents

CODE	DESCRIPTION	TOOL LENGTH	TOOL TOLERANCE
GX-TORSL2.5x195	Spare Slotted Bit	100mm	0.4 Nm
GX-TORSL3.0x195	Spare Slotted Bit	100mm	1.1 Nm
GX-TORSL4.0x195	Spare Slotted Bit	100mm	2.6 Nm
GX-TORSL5.5x195	Spare Slotted Bit	100mm	5.5 Nm
GX-TORSL6.5x195	Spare Slotted Bit	100mm	9.4 Nm
GX-TORPZ0x195	Spare Pozi Bit	100mm	1.0 Nm
GX-TORPZ1x195	Spare Pozi Bit	100mm	3.5 Nm
GX-TORPZ2x195	Spare Pozi Bit	100mm	8.2 Nm
GX-HEXx3	Spare Hex Bit	100mm	No Standard
GX-HEXx4	Spare Hex Bit	100mm	No Standard
GX-PZ/FL1	Spare Pozi/Slotted Bit	100mm	
GX-PZ/FL2	Spare Pozi/Slotted Bit	100mm	
GX-TORHANDLE	Spare Torque Handle	-	






VDE Screwdrivers



Features & Benefits

The new Engex 1000V VDE hand tool range has been independently tested to exceed current 10,000 Volt AC testing standards. Engex 1000V VDE handles with a brand new ergonomic design, have built-in, two compound technology that provides maximum user comfort whilst minimising fatigue when being used repeatedly, and also offering better grip and increased torque levels on extreme applications. Precision manufactured Engex blades. Meets all ISO IEC60900 standards.



Precision Machined Magnetic Tip...
Giving the best torque possible.

Ergonomic Design...
For comfort and safety allowing the contractor to use all day without fatigue.

1000V VDE Handles...
Independently tested to 1000V VDE.



Slotted VDE



Order Codes

CODE	SLOT WIDTH	SLOT DEPTH	TOOL LENGTH	TOTAL LENGTH	WEIGHT
GX-SL2.5VDE	2.5mm	0.4mm	75mm	175mm	39g
GX-SL3.0VDE	3mm	0.5mm	100mm	200mm	42g
GX-SL4.0VDE	4mm	0.8mm	100mm	200mm	49g
GX-SL5.5VDE	5.5mm	1mm	125mm	225mm	69g
GX-SL6.5VDE	6.5mm	1.2mm	150mm	264mm	102g
GX-SL8.0VDE	8mm	1.2mm	175mm	293mm	154g

Phillips VDE



Order Codes

CODE	SIZE	TOOL LENGTH	TOTAL LENGTH	WEIGHT
GX-PH0VDE	0	60mm	160mm	45g
GX-PH1VDE	1	80mm	180mm	59g
GX-PH2VDE	2	100mm	214mm	89g
GX-PH3VDE	3	150mm	268mm	154g

PoziDriv



Order Codes

CODE	SIZE	TOOL LENGTH	TOTAL LENGTH	WEIGHT
GX-PZ0VDE	0	60mm	160mm	45g
GX-PZ1VDE	1	80mm	180mm	59g
GX-PZ2VDE	2	100mm	214mm	89g
GX-PZ3VDE	3	150mm	268mm	154g



Screwdrivers Sets


6 Piece VDE Screwdriver Set

Set Contents

CODE	DESCRIPTION
GX-PZ0VDE	0 x 60 Pozi Screwdriver
GX-PZ1VDE	1 x 80 Pozi Screwdriver
GX-PZ2VDE	2 x 100 Pozi Screwdriver
GX-SL3.0VDE	0.5 x 3.0 x 100 Slotted Screwdriver
GX-SL4.0VDE	0.8 x 4.0 x 100 Slotted Screwdriver
GX-SL5.5VDE	1.0 x 5.5 x 125 Slotted Screwdriver

Order Codes

CODE	DESCRIPTION
GX-SS6	6 Piece VDE Screwdriver Set



Hand Tools



Voltage Tester

Features & Benefits

Approved neon mains testers. Detects AC mains voltage. GX-VT140 has fixed pocket clip.

Order Codes

CODE	DESCRIPTION	LENGTH
GX-VT140	Voltage Tester	140mm
GX-VT190	Voltage Tester	190mm




6 Piece Precision Screwdriver Sets

Features & Benefits

Dual compound handle. Provides shock protection up to 1000V AC meets VDE standards and comes complete with a plastic storage case.

Order Codes

CODE	DESCRIPTION
GX-PS6	6 piece Precision Screwdriver Set





VDE Cable Knives & Replacement Blades

Features & Benefits

Safety, ergonomic, soft handle.
VDE tested to EN 60900 1000V.

Order Codes

CODE	DESCRIPTION	WEIGHT	BLADE SIZE	LENGTH
GX-CK1VDE	VDE Cable Knife	100g	50mm	200mm
GX-CK2VDE	VDE Cable Stripping Knife	100g	50mm	200mm
GX-CK3VDE	VDE Cable Knife	100g	50mm	200mm
GX-CK3BL	Spre Blade Pack of 4		50mm	



GX-CK1VDE



GX-CK2VDE



GX-CK3VDE



VDE Cable Scissors

Order Codes

CODE	DESCRIPTION	WEIGHT	LENGTH
GX-SCVDE	VDE Cable Scissors (with small notch)	100g	137mm

Features & Benefits

VDE Certified approved.



Sure Grip Utility Knife



Features & Benefits

Zinc alloy construction. Quick release blade.
Twine cutter. Includes 5 replacement blades.

Order Codes

CODE	DESCRIPTION
GX10001	Sure Grip Utility Knife
GX99001	10 Knife Replacement Blades

Comfort Grip Utility Knife



Features & Benefits

Automatic position locking. Easy snap blade
construction. One 8 segment blade supplied.

Order Codes

CODE	DESCRIPTION
GX10002	Comfort Grip Utility Knife
GX99002	Replacement Blade

Folding Lock Back Knife



Features & Benefits

Lightweight aluminium. Spring blade
release. Quick change blade system.
Includes 10 replacement blades.

Order Codes

CODE	DESCRIPTION
GX-TP LBK	Folding Lock Back Knife



Hacksaw Range

12” Professional Hacksaw



Features & Benefits

Quick change blade, comfortable TPR handles, spare blade storage with quick-release function.
Supplied with 24 TPI 12” Hacksaw HSS Bi-Metal Blade
Multi-angle adjustment blade: 0° and 45°

Order Codes

CODE	DESCRIPTION	SIZE
GX-HACKSAW12P	12” Hacksaw	12 Inches

12” Hacksaw



Features & Benefits

Quick change blade. Supplied with 24 TPI 12” Hacksaw HSS Bi-Metal Blade
Multi-angle adjustment blade: 0° and 45°

Order Codes

CODE	DESCRIPTION	SIZE
GX-HACKSAW12	12” Hacksaw	12 Inches

Junior Hacksaw



Features & Benefits

Quick change blade. Comfortable PP handle.
Supplied with 32 TPI 6” Hi-Carbon steel heat treated blade.

Order Codes

CODE	DESCRIPTION	SIZE
GX-HACKSAWM6	6” Junior Hacksaw	6 Inches



Mini Hacksaw



Features & Benefits

Supplied with 24 TPI 12” Hacksaw HSS Bi-Metal Blade
Comfortable TPR handle, for use in tight, hard to reach places.

Order Codes

CODE	DESCRIPTION
GX-HACSAWM12P	Mini Hacksaww

Bi-Metal Replacement Blades - 100 Pack



Order Codes

CODE	DESCRIPTION
GX-HACK12BP	Bi-Metal Hacksaw Replacement Blade set - 100 Pack

Bi-Metal Replacement Blades - 2 Pack



Order Codes

CODE	DESCRIPTION
GX-HACK12B	Bi-Metal Hacksaw Replacement Blade set - 2 Pack

Junior Hacksaw Blade Set



Order Codes

CODE	DESCRIPTION
GX-HACK6B	Junior Hacksaw Replacement Blade set - 10 Pack



Miscellaneous Tools

Hand Tools



Fibreglass Shaft Claw Hammer



Features & Benefits

Drop forged steel head. 2 piece construction. Impact-absorbent handle.

Order Codes

CODE	DESCRIPTION
GX-HAMC16F	Fibreglass Shaft Claw Hammer

Boat Spirit Level

Features & Benefits

Tapered ends. 3 level indicators - horizontal, vertical and 45°. Magnetic base.

Order Codes

CODE	DESCRIPTION	SIZE
GX-LEVB	Boat Spirit Level	230mm



Premium Tape Measure

Features & Benefits

25mm wide blade for 8m length. 2 stop buttons. Belt clip.

Order Codes

CODE	DESCRIPTION	LENGTH
GX-TM8	Premium Tape Measure (25mm wide)	8m



600mm Spirit Level

Features & Benefits

Heavy duty. Magnetic base. 3 level indicators.

Order Codes

CODE	DESCRIPTION	SIZE
GX-LEV6	600mm Spirit Level	600mm





Miscellaneous Tools

Automatic Wire Stripping Pliers




Features & Benefits

Single action automatic wire stripper. Crimp action for red, blue & yellow terminals. Adjustment knob for smaller wires below 0.2mm².

Order Codes

CODE	DESCRIPTION
GX-WSPA	Automatic Wire Stripping Pliers



PVC Ratchet Pipe Cutter




Features & Benefits

Suitable for PVC conduit & similar material. Ratchet mechanism. Steel blade. Hardened & tempered alloy. Safety latch.

Order Codes

CODE	DESCRIPTION
GX10008	PVC Ratchet Pipe Cutter

Metal Sealant Applicator Gun



Features & Benefits

Metal Sealant Applicator Gun economy 310mm.

Order Codes

CODE	DESCRIPTION
GX-APG	Metal Sealant Applicator Gun

Heavy Duty Silicon Applicator Gun



Features & Benefits

Metal Sealant Applicator Gun professional 310mm.

Order Codes

CODE	DESCRIPTION
GX-PAPG	Metal Sealant Applicator Gun

20mm & 25mm Stock & Die Set



Features & Benefits

20mm & 25mm Stock And Die Set for conduit includes high torque stock dies and guides in carry case.

Order Codes

CODE	DESCRIPTION
GX-STDs	20mm & 25mm Stock & Die Set





9 Piece VDE Tool Kit

Set Contents

- VDE Combination Plier: 180mm.
- VDE Diagonal Cutting Plier: 160mm.
- VDE Long Nose Plier: 200mm.
- VDE Slotted Screwdriver: 2.4 x 75mm.
- VDE Slotted Screwdriver: 4.0 x 100mm.
- VDE Slotted Screwdriver: 5.5 x 125mm.
- VDE Phillips Screwdriver: PH1 x 80mm.
- VDE Phillips Screwdriver: PH2 x 100mm.
- GS/Voltage Tester: 120~250V.
- Zipper Box.

Features & Benefits

New 9 piece, High Leverage Tool Case

Order Codes

CODE	DESCRIPTION	DIMENSIONS (w x d x h)	WEIGHT
GX-VDETK9	Engex VDE 9 Piece Tool Kit	264 x 236 x 63mm	1.37kg

For comfort and safety allowing the contractor to use all day without fatigue.

Compact Zipper Box



GX-TCN



5 piece Tool Pouch



Outer Kit Content

Kit Contents

- VDE Combination Plier: 180mm.
- VDE Slotted Screwdriver: 3.0x100mm.
- VDE Slotted Screwdriver: 4.0x100mm.
- VDE Phillips Screwdriver: PH1x80mm.
- Cable Shears (Electrician's Shears).

Order Codes

CODE	DIMENSIONS	WEIGHT
GX-VDETP5	245 x 190 x 65mm	820g

7 piece Tool Pouch



Outer Kit Content

Kit Contents

- VDE Combination Plier: 180mm.
- VDE Diagonal Cutting Plier: 160mm.
- VDE Slotted Screwdriver: 3.0x100mm.
- VDE Slotted Screwdriver: 4.0x100mm.
- VDE Phillips Screwdriver: PH1x80mm.
- VDE PoziDriv Screwdriver: PZ1x80mm.
- Cable Shears (Electrician's Shears).

Order Codes

CODE	DIMENSIONS	WEIGHT
GX-VDETP7	255 x 255 x 75mm	1.36kg

9 piece Tool Pouch



Outer Kit Content

Kit Contents

- VDE Combination Plier: 180mm
- VDE Diagonal Cutting Plier: 160mm
- VDE Slotted Screwdriver: 3.0x100mm
- VDE Slotted Screwdriver: 4.0x100mm
- VDE Phillips Screwdriver: PH1x80mm
- VDE Phillips Screwdriver: PH2x100mm
- Cable Shears (Electrician's Shears).
- VDE Cable Knife: GX-CK3BL.
- GS/Voltage Tester 120~250V.

Order Codes

CODE	DIMENSIONS	WEIGHT
GX-VDETP9	255 x 255 x 75mm	1.70kg



19 Piece Premium Toolkit

Features & Benefits

This kit consists of a selection of 19 professional electrician's tools as listed below.

Order Codes

CODE	DESCRIPTION
GX-PROTK Premium Toolkit	19 piece Toolkit

Kit Contents

- GX-PC – Premium Case
- GX-DSC180HL – 1000v VDE Diagonal Stripping Cutters
- GX-CP180HL – 1000v VDE Combination Pliers
- GX-LN200HL – 1000v VDE Long Nose Pliers
- GX-SL2.5VDE – 1000v VDE Slotted 2.5 x 75mm Screwdriver
- GX-SL4.5VDE – 1000v VDE Slotted 4.0 x 100mm Screwdriver
- GX-PZ1VDE – 1000v VDE Pozi 1 x 80mm Screwdriver
- GX-PZ2VDE – 1000v VDE Pozi 2 x 100mm Screwdriver
- GX-PH1VDE – 1000v VDE Phillips 1 x 80mm Screwdriver
- GX-PH2VDE – 1000v VDE Phillips 2 x 100mm Screwdriver
- GX-VT190 – Voltage Tester 190mm
- GX-TM8 – 8M Premium Tape Measure
- GX-HACKSAW3 – 6" Junior Hacksaw
- GX-TP LBK – Folding Lock Back Knife
- GX-WSPA – Wire Strippers Automatic
- GX-LEV6 – Spirit Level 600mm
- GX-HAMC16F – 16oz Fibre Glass Shaft Claw Hammer
- GX-SCVDE – 1000v VDE Electricians Cable Scissors
- GX-WP240 – Water Pump Pliers 240mm.

As well as the pre-made kits we currently offer, Engex can produce **Bespoke Tool Kits** to accommodate every user's needs using any of the quality Engex tools in the range.

Contact us for more information!



Velcro Tool Pouch



Order Codes

CODE	DESCRIPTION
GX-TP	5 Piece Tool Pouch

Zipper Box



Order Codes

CODE	DESCRIPTION
GX-TCN	Zipper Box

Clip Tool Pouch



Order Codes

CODE	DESCRIPTION
GX-TP9	7-9 Piece Tool Pouch

Premium Case



Order Codes

CODE	DESCRIPTION
GX-PC	Premium Tool Case

Ruck Sack



Order Codes

CODE	DESCRIPTION
GX-RS	Tool Rucksack



Foldable Sack Truck

Features & Benefits


Light weight, easy to store, simple and easy to use. Solid rubber wheels means no punctures. Also comes with bungee cord.

Order Codes

CODE	DESCRIPTION
GX-FST	Steel Foldable Sack Truck

Specifications

Open Size: H: 39-3/8" x W: 15-1/4" x D: 13-3/8"
Fold Size: H: 29-3/4" x W: 15" x D: 2-1/4"
Nose Plate Size: W: 15" x D: 11"
Wheel: 5" Solid Rubber Wheel
Weight: 9.06lbs
Capacity: 150lbs



Conduit Pipe Bender

Features & Benefits

Bends 20, 25 & 32mm conduit. Easy to set up and easily portable. Can be used on copper, mild steel & stainless steel pipes. Heavy duty tubular construction.

Order Codes

CODE	DESCRIPTION	SIZE
GX-CONB	Conduit Pipe Bender	20/25/32mm

Order Codes

CODE	DESCRIPTION	SIZE
GX-CONBPV	Pipe Vice	230mm
GX-CONBPVJ	Pipe Vice Jaw	
GX-FORM20	Spare Former	20mm
GX-FORM25	Spare Former	25mm
GX-FORM32	Spare Former	32mm

Easy to set up

Easily portable

Heavy duty construction

Can be used on copper, mild steel and stainless steel pipes





LADDERS & ACCESSES

Fiberglass Step Ladders

Platform Ladders

Extension Ladders

Combination Ladders

Ladder Clamps

Multifunctional Ladders

Hop Ups



Fiberglass Step Ladders



Complies to EN131
Tested to non-conductive 30,000v

Features & Benefits

Suitable for professional trade use. Complies to EN131. Independently tested to non-conductive 30,000v rating. Integral tool rack. Strong design & manufacture. Max static 150kg load rating. Strengthened and deepened non slip feet. Available in 5 sizes.



Fiberglass Step Ladders

Order Codes

CODE	DESCRIPTION	TREAD NO.
GX-SL04	Fiberglass Step Ladders	4
GX-SL05	Fiberglass Step Ladders	5

Specification

TREAD NO.	CLOSED HEIGHT	OPEN HEIGHT	WEIGHT
4	1,174mm	1,050mm	6.25kg
5	1,474mm	1,300mm	7.55kg

Tested to non-conductive 30,000v

Suitable for professional trade use

Complies to EN131

Non Slip feet

Available in 5 sizes

Integral Tool Rack



Tread Count



Tread Count





Fiberglass Step Ladders

Order Codes

CODE	DESCRIPTION	TREAD NO.
GX-SL06	Fiberglass Step Ladder	6
GX-SL08	Fiberglass Step Ladder	8

Specification

TREAD NO.	CLOSED HEIGHT	OPEN HEIGHT	WEIGHT
6	1,773mm	1,610mm	8.50kg
8	2,373mm	2,161mm	11.34

Tread Count




Tread Count



Double riveted,
deep ridged tread

Complies to EN131
Tested to non-conductive 30,000v

Locking brace



Heavy duty
tread brace

GX-SL06

LOAD
150KG
RATING

Ladder Clamps Available



See Page 45



Fiberglass Step Ladders

Order Codes

CODE	DESCRIPTION	TREAD NO.
GX-SL10	Fiberglass Step Ladders	10

Specification

TREAD NO.	CLOSED HEIGHT	OPEN HEIGHT	WEIGHT
10	3,000mm	2,710mm	11.34kg

Tread Count



Double riveted,
deep ridged tread

Complies to EN131
Tested to non-conductive 30,000v

Ladder Clamps Available



See Page 45

GX-SL10

LOAD
150KG
RATING



Combination Ladders

3 Part Combination Ladder

Features & Benefits

Conforms to EN131. Suitable for trade use. Extra wide stability bar. 4 different positions. Anti-slip feet. Maximum load 150kg.

Order Codes

CODE	DESCRIPTION
GX-SLACLFG	3 part combination Ladder

Specification

RUNG NO.	SPACE BETWEEN RUNGS	CLOSED LENGTH	A FRAME HEIGHT	A FRAME WIDTH	WEIGHT
18	300mm	1.69m	159-239cm	106cm	12.3kg

- Conforms to EN131.
- Extra wide stability bar.
- 4 different positions
- Anti-slip feet.
- Maximum load 150kg.
- Suitable for trade use.



LOAD
150KG
RATING



Ladder Accessories



Features & Benefits

Ladder Clamps: Complete with padlocks. Easy to use. Reduces the risk of theft. Individual locks. Creates van space.

Ladder Tag: Ladder safety inspection tag and holder.

Order Codes

CODE	DESCRIPTION
GX-LC	Ladder Clamps with Padlocks
LADDER TAGS	Ladder Tag and Holder

**EASY
TO USE**



GX-LC

LADDER TAGS

SEE PAGE 72 FOR MORE INFORMATION ON ALTERNATIVE TAGS WE OFFER



Multi-Function Ladder

Features & Benefits

Multi-purpose ladder. Complies to EN131. Easy to store & move. Heavy duty click lock hinges, Square rungs. Amazing strength. Metal plate for use as platform. Maximum static load rating: 150kg Weight: 17.8kg. Package size 95 x 37 x 30cm. Height: 360cm / 12' Height in a frame: 172cm 67.7" (h) x 116cm / 45.7" (w).

Order Codes

CODE	DESCRIPTION
GX-SLAMFL43	Multi-Function Ladder

LOAD
150KG
RATING

Complies to EN131

Easy to store and move

Amazing Strength

Click lock hinges



5 Configurations

Step ladder

Stairway ladder

Leaning ladder

Standoff ladder

Work bench





Platforms

Aluminium Working Platform

Order Codes

CODE	DESCRIPTION	HEIGHT
GX-SLAHU2S	2 step Aluminium working Platform	480mm
GX-SLAHU3S	3 step Aluminium working Platform	750mm

Suitable for light trade use.
Easy set up, storage and transportable.
Ideal for false ceiling electrics,
plasters, decorators.

GX-SLAHU2S



LOAD
150KG
RATING

Aluminium Hop Up

Order Codes

CODE	DESCRIPTION	HEIGHT
GX-SLAHU600	600 x 300mm Aluminium Hop Up	480mm

Folds flat, making it simple to carry and store.
Wide and deep non slip platform.
Ideal for false ceiling electrics,
plasters, decorators.



EASY
SET UP



Fibreglass Hop Up

Order Codes

CODE	DESCRIPTION	HEIGHT
GX-SLAHUFG	2 step Fibreglass working Platform	480mm

600 x 600mm platform.
Perfect for trade use.
Easy set up, storage and transportation.
150kg load rating

2 step: 480mm (h)



EASY
SET UP

LOAD
150KG
RATING



CRIMP-P-PAK

Cable Ties

Cable Tie Accessories

Hand Tools

Pre-Insulated

Terminals

Cord End Terminals

Copper Tube Terminals

Cord Tube Splices

Crimp Sets



Black Cable Ties

Order Codes

CODE	SIZE (mm)	MAX. BUNDLE (mm)	MIN. TENSILE STRENGTH (kg)
650002	100 x 2.5	22	8 kg
650004	140 x 3.6	33	8 kg
650005	160 x 2.5	40	8 kg
650006	200 x 4.8	38	22 kg
650007	200 x 2.5	53	8 kg
650008	200 x 3.6	53	18 kg
65009	200 x 4.8	50	22 kg
650010	300 x 3.6	76	18 kg
650011	300 x 4.8	76	22 kg
650012	300 x 7.6	76	55 kg
650013	370 x 4.8	102	22 kg
650014	370 x 7.6	102	55 kg
650015	450 x 9.0	120	80 kg
650016	526 x 9.0	160	80 kg
650026	580 x 13.2	152	114 kg
650020	650 x 9.0	187	80 kg
650017	780 x 9.0	228	80 kg
650022	1000 x 9.0	295	80 kg

Features & Benefits

Crimp-Pak Cable Ties are produced to comply with BS EN50146:2000 requirements and are supplied in accordance with ISO 9001 accreditation. All have an operating temperature range of -40°C to +85°C and are primarily manufactured from virgin nylon 66.

Virgin Nylon 66

ISO9001

Comply with BS EN50146:2000

Halogen free

Natural Cable Ties

Specification

Material: High quality virgin nylon 66 halogen free
Strength: Tensile strength to UL Specification
Operating Temperature: -40°C - +85°C
Flame Resistance: UL94V2
UL: Approved
Pack Qty: 100

Order Codes

CODE	SIZE (mm)	MAX. BUNDLE (mm)	MIN. TENSILE STRENGTH (kg)
651001	80 x 2.4	15	8 kg
651020	100 x 2.4	22	8 kg
651002	100 x 2.5	33	8 kg
651004	140 x 3.6	40	18 kg
651005	160 x 2.5	38	8kg
651006	160 x 4.8	53	22 kg
651007	200 x 2.5	53	8 kg
651008	200 x 3.6	50	18 kg
651009	200 x 4.8	76	22 kg
651010	300 x 3.6	76	18 kg
651011	300 x 4.8	76	22 kg
651012	300 x 7.6	102	55 kg
651013	370 x 4.8	102	22 kg
651014	370 x 7.6	120	55 kg
651015	450 x 9.0	140	80 kg
651016	530 x 9.0	152	80 kg
651026	650 x 9.0	228	80 kg
651017	780 x 9.0	295	80 kg
651022	940 x 9.0	295	80 kg





Coloured Cable Ties

Features & Benefits

Crimp-Pak Cable Ties are produced to comply with BS EN50146:2000 requirements and are supplied in accordance with ISO 9001 accreditation. All have an operating temperature range of -40°C to + 85°C and are primarily manufactured from virgin nylon 66.



Specification

Material: High quality virgin nylon 66 halogen free
Strength: Tensile strength to UL Specification
Operating Temperature: -40°C - +85°C

Flame Resistance: UL94V2
UL: Approved
Pack Qty: 100

Order Codes

BLUE	ORANGE	GREEN	PURPLE	SIZE (mm)	MAX BUNDLE DIAMETER	MIN TENSILE STRENGTH (KG)
659002B	659002O	659002G	659002P	100 x 2.5	22	8
659004B	659004O	659004G	-	140 x 3.6	33	8
659009B	659009O	659009G	659009P	200 x 4.8	50	22
659011B	659011O	659011G	659011P	300 x 4.8	76	22
659013B	659013O	659013G	-	370 x 4.8	102	22

Order Codes Cont.

RED	SILVER	YELLOW	BROWN	SIZE (mm)	MAX BUNDLE DIAMETER	MIN TENSILE STRENGTH (kg)
659002R	659002S	659002Y	-	100 x 2.5	22	8
659004R	-	659004Y	-	140 x 3.6	33	8
659009R	-	659009Y	659009BR	200 x 4.8	50	22
659011R	659011S	659011Y	659011BR	300 x 4.8	76	22
659013R	659013S	659013Y	-	370 x 4.8	102	22



Stainless Steel Cable Ties

Order Codes

CODE	SIZE (mm)	MAX BUNDLE DIAMETER	MIN. TENSILE STRENGTH
656002	150 x 4.6	37	45
656004	200 x 4.6	50	45
656006	260 x 4.6	69	45
656008	360 x 4.6	100	45
656010	520 x 4.6	150	45

Features & Benefits

Self locking design for fast installation.
Uncoated stainless steel - UL Approved.
Used for Fire Alarm Systems and the Food Industry. Temperature range of -80°C to +500°C. Excellent resistance to aggressive oils, chemicals & solvents. S316 Stainless Steel.


S316 Stainless steel.

Temperature Range: -80°C to +500°C.

Resistance to aggressive oils.

Self locking design (ball type).

Resistance to chemicals & solvents.






Cable Tie Accessories

Order Codes

CODE	DESCRIPTION	MOUNTING	BASE SIZE	PACK QUANTITY
650018	Black Mount	Self-Adhesive	19 x 19	100
650019	Black Mount	Self-Adhesive	20 x 28	100
651018	Natural Mount	Self-Adhesive	19 x 19	100
651019	Natural Mount	Self-Adhesive	28 x 28	100
650050	Black Mount	Screw Fix	N/A	100
651050	Natural Mount	Screw Fix	N/A	100
656050	Stainless Steel Mount	Screw Fix	N/A	50
KCTMM1	Masonry Mount	Screw Fix	N/A	50



Cable Tie Tensioner & Cutter



Order Codes

CODE	DESCRIPTION
660008	Cable Tie Tensioner & Cutter

Features & Benefits

Automatic cable tie tensioner & cutter. For cable ties from 2.2mm to 4.8mm wide. This tool is very durable due to its quality construction & metal body. Suitable for continuous use. Length: 160cm. Weight: 0.30kg.

Stainless Steel Tie Gun

Order Codes

CODE	DESCRIPTION
SSTGN	Stainless Steel Tie Gun & Cutter

Features & Benefits

Automatic cable tie tensioner and cutter for stainless steel cable ties. The tool will correctly tension the ties and automatically cut off the tail when this is achieved. High quality construction for a long service life. Length 178mm. Weight 0.56kg.





Ring Terminals

Features & Benefits

Crimp-Pak offers a complete and comprehensive range of pre-insulated crimp terminals. High grade PVC. VR Vibration resistant.

Specifications

Red Terminals: Conductor size 0.5(x)-1.5mm² 22-16 awg
Blue Terminals: Conductor size 1.5-2.5mm² 16-14 awg
Yellow Terminals: Conductor size 4.0-6.0mm² 12-10 awg
Maximum electrical current rating: 75°C
UL: Approved - Brass E255748, Copper E182951
Pack Qty: 100



Order Codes - RED

CODE	MAX AMP	HOLE SIZE
611001	19A	3mm
611002	19A	4mm
611003	19A	5mm
611004	19A	6mm
611005	19A	8mm
611030	19A	10mm



Order Codes - BLUE

CODE	MAX AMP	HOLE SIZE
612001	27A	3mm
612002	27A	4mm
612003	27A	5mm
612004	27A	6mm
612005	27A	8mm
612025	27A	10mm
612024	27A	12mm



Order Codes - YELLOW

CODE	MAX AMP	HOLE SIZE
613001	48A	3mm
613002	48A	4mm
613003	48A	5mm
613004	48A	6mm
613005	48A	8mm
613017	48A	10mm

VOLTS
600V

TEMP
75°C

Fork Terminals



Order Codes

CODE	MAX AMP	STUD SIZE
611031	18A	3mm
611006	18A	4mm
611007	18A	5mm
611008	18A	6mm



Order Codes

CODE	MAX AMP	STUD SIZE
612023	24A	3mm
612006	24A	4mm
612007	24A	5mm
612008	24A	6mm



Order Codes

CODE	MAX AMP	STUD SIZE
613006	35A	4mm
613007	35A	5mm
613008	35A	6mm

Flanged Fork Terminals



Order Codes

CODE	MAX AMP	STUD SIZE
611009	18A	4mm



Order Codes

CODE	MAX AMP	STUD SIZE
612009	24A	4mm

VOLTS
600V

TEMP
75°C

Blade Terminals



Order Codes

CODE	MAX AMP	BLADE LENGTH
611010	12A	11mm
611011	12A	14mm
611012	12A	18mm



Order Codes

CODE	MAX AMP	BLADE LENGTH
612010	16A	9mm
612011	16A	18mm



Order Codes

CODE	MAX AMP	BLADE LENGTH
613009	24A	10mm



Pin Terminals



Order Codes

CODE	MAX AMP	PIN LENGTH
611013	12A	9mm
611032	12A	12mm



Order Codes

CODE	MAX AMP	PIN LENGTH
612012	16A	9mm
612031	16A	12mm



Order Codes

CODE	MAX AMP	PIN LENGTH
613010	24A	9mm

VOLTS
600V

TEMP
75°C

Push on Female Terminals



Order Codes

CODE	MAX AMP	TAB WIDTH
611014	10A	2.8mm
611026	10A	2.8(x)mm
611016	10A	4.8mm
611017	10A	6.3mm



Order Codes

CODE	MAX AMP	TAB WIDTH
612013	20A	4.8mm
612014	20A	6.3mm



Order Codes

CODE	MAX AMP	TAB WIDTH
613011	20A	6.3mm

VOLTS
300V

TEMP
105°C

Push on Female Fully Insulated Terminals



Order Codes

CODE	MAX AMP	TAB WIDTH
611019	10A	4.8mm
611020	10A	6.3mm



Order Codes

CODE	MAX AMP	TAB WIDTH
612016	20A	4.8mm
612017	20A	6.3mm



Order Codes

CODE	MAX AMP	TAB WIDTH
613013	20A	6.3mm

VOLTS
300V

TEMP
105°C

Push on Male / Spade Terminals



Order Codes

CODE	MAX AMP	SPADE WIDTH
611035	10A	4.5mm
6110358	10A	4.8mm
611018	10A	6.3mm



Order Codes

CODE	MAX AMP	SPADE WIDTH
612033	20A	4.5mm
6120338	20A	4.8mm
612015	20A	6.3mm



Order Codes

CODE	MAX AMP	SPADE WIDTH
613012	20A	6.3mm

Piggy Back Terminals



Order Codes

CODE	MAX AMP	TAB WIDTH
611021	19A	6.3mm



Order Codes

CODE	MAX AMP	TAB WIDTH
612018	20A	6.3mm

VOLTS
300V

TEMP
105°C

Splice Through Crimp Terminals



Order Codes

CODE	MAX AMP	INNER DIAMETER
611022	19A	4.0mm



Order Codes

CODE	MAX AMP	INNER DIAMETER
612019	27A	4.5mm



Order Codes

CODE	MAX AMP	INNER DIAMETER
613014	48A	6.8mm



Pre-Insulated Terminals

Parallel Splice Terminals



Order Codes

CODE	MAX AMP	CONDUCTOR
613015	24A	4mm

Butt & End Terminals



Order Codes

CODE	MAX AMP	CONDUCTOR
611033	-	1.5mm



Order Codes

CODE	MAX AMP	CONDUCTOR
612034	-	2.5mm

Male Bullet Terminals



Order Codes

CODE	MAX AMP	BULLET WIDTH
611124	12A	4.0mm



Order Codes

CODE	MAX AMP	BULLET WIDTH
612021	16A	5.0mm



Order Codes

CODE	MAX AMP	BULLET WIDTH
613024	24A	5.0mm

VOLTS
300V

TEMP
105°C

Female Fully Insulated Bullet Terminals



Order Codes

CODE	MAX AMP	INTERNAL BULLET WIDTH
611025	12A	4.0mm



Order Codes

CODE	MAX AMP	INTERNAL BULLET WIDTH
612022	16A	5.0mm



Order Codes

CODE	MAX AMP	INTERNAL BULLET WIDTH
613025	24A	5.0mm

VOLTS
300V

TEMP
105°C

Cord End Terminals



Features & Benefits

Provide a clean end termination to multi stranded cables. Insulating sleeves accept tri-rated cables. Manufactured from bright tinned copper with polypropylene sleeves. Crimp-Pak offers a complete and comprehensive range of Cord End Terminals/ Bootlace Ferrules.

Order Codes

CODE	CONDUCTOR SIZE (mm)	COLOUR	TYPE	BARREL LENGTH (mm)
641000	0.5	White	French or Din	8
640000	0.5	Orange	German	8
641051	0.5	White	Twin Entry - Din	8
641001	0.75	Blue	French	8
640001	0.75	White	German	8
641052	0.75	Grey	Twin Entry - Din	8
641002	1.0	Red	French or Din	8
640002	1.0	Yellow	German	8
641053	1.0	Red	Twin Entry - Din	8
642001	1.0	None	Uninsulated	10
641003	1.5	Black	French or Din	8
640003	1.5	Red	German	8
641054	1.5	Black	Twin Entry - Din	8
642003	1.5	None	Uninsulated	10
641004	2.5	Grey	French	8
640004	2.5	Blue	German or Din	8
641055	2.5	Blue	Twin Entry - Din	12
642004	2.5	None	Uninsulated	12
641005	4.0	Orange	French	10
640005	4.0	Grey	German or Din	10
641056	4.0	Grey	Twin Entry - Din	12
642006	4.0	None	Uninsulated	12
641006	6.0	Green	French	12
640006	6.0	Black	French	12
641057	6.0	Yellow	Twin Entry - Din	14
642007	6.0	None	Uninsulated	18
641007	10.0	Brown	French	12
640007	10.0	Ivory	German	12
642008	10.0	None	Uninsulated	18
641008	16.0	Ivory	French	12
640008	16.0	Green	German	12
642009	16.0	None	Uninsulated	18
641009	25.0	Black	French	16
640009	25.0	Brown	German	16
641010	35.0	Red	French or Din	16



Copper Tube Terminals



Features & Benefits

Manufactured to BS7609 (1992) Standards.
Bell mouth cable entry terminals to ensure easy entry. Electro tinned. Copper Conductivity to 99.9% I.A.C.S. Maximum operating temperature: 149°C.

Order Codes

CODE	DESCRIPTION	CABLE SIZE	STUD SIZE
630101	CT1.5M4	1.5	4
630102	CT1.5M5	1.5	5
630201	CT2.5M4	2.5	4
630202	CT2.5M5	2.5	5
630203	CT2.5M6	2.5	6
630301	CT4M4	4	4
630302	CT4M5	4	5
630303	CT4M6	4	6
630401	CT6M4	6	4
630402	CT6M5	6	5
630403	CT6M6	6	6
630404	CT6M8	6	8
630405	CT6M10	6	10
630502	CT10M5	10	5
630503	CT10M6	10	6
630504	CT10M8	10	8
630505	CT10M10	10	10
630506	CT10M12	10	12
630603	CT16M6	16	6
630604	CT16M8	16	8
630605	CT16M10	16	10
630606	CT16M11	16	12
630703	CT25M6	25	6
630704	CT25M8	25	8
630705	CT25M10	25	10
630706	CT25M12	25	12
630803	CT35M6	35	6
630804	CT35M8	35	8
630805	CT35M10	35	10
630806	CT35M12	35	12
630807	CT35M14	35	14
630903	CT50M6	50	6
630904	CT50M8	50	8
630905	CT50M10	50	10
630906	CT50M12	50	12
630907	CT50M14	50	14
630908	CT50M16	50	16

Order Codes

CODE	DESCRIPTION	CABLE SIZE	STUD SIZE
631003	CT70M6	70	6
631004	CT70M8	70	8
631005	CT70M10	70	10
631006	CT70M12	70	12
631007	CT70M14	70	14
631008	CT70M16	70	16
631009	CT70M20	70	20
631104	CT95M8	95	8
631105	CT95M10	95	10
631106	CT95M12	95	12
631107	CT95M14	95	14
631108	CT95M16	95	16
631109	CT95M20	95	20
631204	CT120M8	120	8
631205	CT120M10	120	10
631206	CT120M12	120	12
631207	CT120M14	120	14
631208	CT120M16	120	16
631209	CT120M20	120	20
631305	CT150M10	150	10
631306	CT150M12	150	12
631307	CT150M14	150	14
631308	CT150M16	150	16
631309	CT150M20	150	20
631405	CT185M10	185	10
631406	CT185M12	185	12
631407	CT185M14	185	14
631408	CT185M16	185	16
631505	CT240M10	240	10
631506	CT240M12	240	12
631507	CT240M14	240	14
631508	CT240M16	240	16
631605	CT300M10	300	10
631606	CT300M12	300	12
631608	CT300M16	300	16
631706	CT400M12	400	12



Copper Tube Splices



Features & Benefits

Manufactured to BS7609 (1992) Standards.
Bell mouth cable entry terminals to ensure easy entry. Electro tinned. Copper Conductivity to 99.9% I.A.C.S. Maximum operating temperature: 149°C.

Order Codes

CODE	DESCRIPTION	CABLE SIZES
635001	Copper Tube Splices	1.5
635002	Copper Tube Splices	2.5
635003	Copper Tube Splices	4
635004	Copper Tube Splices	6
635005	Copper Tube Splices	10
635006	Copper Tube Splices	16
635007	Copper Tube Splices	25
635008	Copper Tube Splices	35
635009	Copper Tube Splices	50
635010	Copper Tube Splices	70
635011	Copper Tube Splices	95
635012	Copper Tube Splices	120
635013	Copper Tube Splices	150
635014	Copper Tube Splices	185
635015	Copper Tube Splices	240
635016	Copper Tube Splices	300



Crimp Sets

Professional Crimp Tool Kit

Order Codes

CODE	DESCRIPTION
660010	Crimp Accessories Kit with Crimping Tool

Features & Benefits

Handy assortment of accessories for electrical repair. Crimps insulated terminals. Easily cuts and strips wire. Integral wire cutter. Comfort bi-material grip handle.

- 99 Assorted Terminals
- 25 Cable Ties (100 x 2.5)
- 1 Quality Multi Function Crimper & Stripper



Crimp Hand Tools



Economy Crimp Tool

Order Codes

CODE	DESCRIPTION
660001	Economy Crimp Tool

Features & Benefits

Economy crimp tool for red, blue & yellow pre-insulated terminals. Strips wire 0.75mm2 to 6mm2. Integral wire cutter. Length: 215mm. Weight: 0.25kg. Non Ratchet.



Ratchet Crimp Tool

Order Codes

CODE	DESCRIPTION
660002	Ratchet Crimp Tool

Features & Benefits

Ratchet crimping tool for 1.5mm2 - 16mm2 Copper Tube Terminal. Adjustable tensioner. Replaceable jaws. Ergonomically designed handles reduce operator fatigue. Length: 225cm. Weight: 0.51kg.





Ratchet Crimp Tool



Features & Benefits

Ratchet crimping tool for pre-insulated terminals 0.5m2 to 6.0mm2, red, blue & yellow. Adjustable tensioner. Replaceable jaws. Ergonomically designed handles reduce operator fatigue. Length: 225cm. Weight: 0.51kg.

Order Codes

CODE	DESCRIPTION
660003	Ratchet Crimp Tool

Ratchet Crimp Tool



Features & Benefits

Ratchet crimping tool for 1.5mm - 10mm2 Copper Tube Terminals. Adjustable tensioner. Replaceable jaws. Ergonomically designed handles reduce operator fatigue. Length: 225mm. Weight: 0.51kg.

Order Codes

CODE	DESCRIPTION
660004	Ratchet Crimp Tool

Cord End Crimp Tool



Features & Benefits

Adjustable tensioner. Replaceable jaws. Ergonomically designed handles reduce operator fatigue. Polished jaws to release ferrules easily after crimping.

Order Codes

CODE	DESCRIPTION	SIZE
660014	Cord End Crimp Tool	0.5 - 6mm2
660015	Cord End Crimp Tool	6 - 16mm2
660016	Cord End Crimp Tool	10 - 35mm2

Heavy Duty Crimp Tool

Features & Benefits

Heavy duty crimping tool for 10mm² to 120mm² copper tube terminals. Hexagonal crimping with self adjustable dies. Extremely popular tool due to its extended size range. Length: 620cm. Weight: 4.20kg.



Order Codes

CODE	DESCRIPTION
660017	Heavy Duty Crimp Tool


Hydraulic Crimp Tool

Features & Benefits

Crimps 10mm to 400mm copper tube terminals. Easy to set up & use. Easy to operate release valve. 2 stage pumping action, auto retraction at 700kg/cm. Comes in plastic case 6.20kg. Dies 10, 16, 25, 35, 50, 70, 95, 120, 150, 185, 240, 300 & 400mm. Comes with spare hydraulic seals. Spare dies available on request.

Order Codes

CODE	DESCRIPTION
660020	Hydraulic Crimp Tool





SAFETY

Sign Merchandisers

Fire Signs

Exit Signs

Heavy Duty A-Boards

Lockout Kits



Safety Signs



Signs

- GX-FDKS1** Fire door Keep shut - PVC (200 x 300mm)
- GX-FEKC1** Fire escape Keep clear - PVC (200 x 300mm)
- GX-FAP1** Fire action procedure - PVC (200 x 300mm)
- GX-K01** Keep out - PVC (200 x 300mm)
- GX-NS1** No smoking - PVC (200 x 300mm)
- GX-NE1** No entry - PVC (200 x 300mm)
- GX-NP1** No parking - PVC (200 x 300mm)
- GX-SNA1** Strictly no admittance - PVC (200 x 300mm)
- GX-NAP1** No unauthorised persons beyond this point - PVC (200 x 300mm)
- GX-DESR1** Danger Electric shock risk - PVC (200 x 300mm)
- GX-DHV1** Danger High voltage - PVC (200 x 300mm)
- GX-D2301** Danger 230 volts - PVC (200 x 300mm)
- GX-D2302** Danger 230 volts - PVC (300 x 200mm)
- GX-D2303** Danger 230 volts - PVC (200 x 300mm)
- GX-D4001** Danger 400 volts - PVC (200 x 300mm)
- GX-D4002** Danger 400 volts - PVC (300 x 200mm)
- GX-D4003** Danger 400 volts - PVC (200 x 300mm)
- GX-EHS1** Electrical Hazard symbols - PVC (200 x 300mm)
- GX-DMW1** Danger Men at work - PVC (200 x 300mm)
- GX-DGR1** Danger - PVC (200 x 300mm)
- GX-CCTV1** Warning CCTV Cameras in operation - PVC (200 x 300mm)
- GX-FEX1** Fire extinguisher - PVC (200 x 300mm)
- GX-FEW1** Fire extinguisher composite - Water - PVC (200 x 300mm)
- GX-FEF1** Fire extinguisher composite - Foam - PVC (200 x 300mm)
- GX-FEC1** Fire extinguisher composite - CO2 - PVC (200 x 300mm)
- GX-FEP1** Fire extinguisher composite - Dry powder - PVC (200 x 300mm)
- GX-FA1** Fire alarm - PVC (200 x 300mm)
- GX-FP1** Fire point - PVC (200 x 300mm)
- GX-FEMD2** Fire exit (text only) - PVC (300 x 200mm)
- GX-FERD2** Fire exit running man arrow down - PVC (300 x 200mm)
- GX-FERR2** Fire exit running man arrow right - PVC (300 x 200mm)
- GX-FERU2** Fire exit running man arrow up - PVC (300 x 200mm)
- GX-FERL2** Fire exit running man arrow left - PVC (300 x 200mm)
- GX-FEMR2** Fire exit man running right - PVC (300 x 200mm)
- GX-FEKC2** Fire exit Keep clear - PVC (300 x 200mm)
- GX-PB02** Push bar to open - PVC (300 x 200mm)
- GX-PHMRD2** Fire exit running man arrow down - PHO (300 x 200mm)
- GX-PHMRR2** Fire exit running man arrow right - PHO (300 x 200mm)
- GX-PHMLR2** Fire exit running man arrow left - PHO (300 x 200mm)
- GX-PHPB02** Push bar to open - PHO (300 x 200mm)



Merchandisers available in your local store.



SIDE PANEL CONTENTS


Scaffold Tag Kit - Single GX-STK
(1 ClawTag holder, 2 inserts & 1 Pen)

Ladder Tag Kit - Single GX-LTK
(1 Asset Tag holder, 2 inserts & 1 Pen)

Heavy Duty A-Board GX-ACEW
Caution Electricians working

Heavy Duty A-Board GX-AMAW
Danger Men at work

All signs bagged & barcoded with self-adhesive backing.



Merchandisers available in your local store.



Photoluminescent versions glow in the dark.
P.S.P.A Class B Material




GX-DL21	Danger 230 Volts - Pack of 25 SAV (75 x 25mm)
GX-DL21RL	Danger 230 Volts - 250 Roll SAV (75 x 25mm)
GX-DL41	Danger 400 Volts - 25 Pack SAV (75 x 25mm)
GX-DL41RL	Danger 400 Volts - 250 Roll SAV (75 x 25mm)
GX-DHVL1	Danger High Voltage - Pack of 25 SAV (75 x 25mm)
GX-WIE1	Warning Isolate Elsewhere - Pack of 25 SAV (75 x 25mm)
GX-SEC1	Safety Electrical Connection Do Not Remove - Pack of 25 SAV (75 x 25mm)
GX-DL23	Danger 230 Volts - Pack of 25 SAV (75 x 75mm)
GX-DL43	Danger 400 Volts - Pack of 25 SAV (75 x 75mm)
GX-WIE3	Warning Isolate Elsewhere - Pack of 25 SAV (75 x 75mm)
GX-DL22P	Danger 230 Volts - Pack of 5 RPVC (75 x 25mm)
GX-DL42P	Danger 400 Volts - Pack of 5 RPVC (75 x 25mm)
GX-DHV1P	Danger High Voltage - Pack of 5 RPVC (75 x 25mm)
GX-WIE1P	Warning Isolate Elsewhere - Pack of 5 RPVC (75 x 25mm)
GX-PE3	Important Periodic Inspection - Pack of 25 SAV (75 x 75mm)
GX-PE3RL	Important Periodic Inspection - 100 Roll SAV (75 x 75mm)
GX-RCD3	Important RCD Test Label - Pack of 25 SAV (75 x 75mm)
GX-MCN31	Caution Mixed Cable Notice - Pack of 5 - SAV (75 x 75mm)
GX-MCN32	Caution Mixed Cable Notice - Pack of 25 SAV (75 x 75mm)
GX-MCN34	Caution Harmonised Cable Notice - Pack of 5 SAV (75 x 75mm)
GX-MCN35	Caution Harmonised Cable Notice - Pack of 25 SAV (75 x 75mm)
GX-PAT1	PAT Test Label - 250 Roll SAV (50 x 15mm)
GX-PAT2	Fail Test Label - 250 Roll SAV (50 x 15mm)
GX-PAT3	PAT Test Label - 250 Roll SAV (50 x 35mm)
GX-PAT4	Fail Test Label - 250 Roll SAV (50 x 35mm)

Order Codes

CODE	DESCRIPTION
GX-TCLM	Labels

**Merchandisers
available in your
local store.**



IMPORTANT

This installation should be periodically inspected and tested and a report on its condition obtained, as prescribed in the IET Wiring Regulations BS 7671 Requirements for Electrical Installations.

Date of last inspection



Recommended date
of Next inspection

Pack of 25 SAV **GX-PE3**
ROLL OF 100 **GX-PE3RL**

IMPORTANT

This installation (or part of it) is protected by a Residual Current Device which automatically switches off the supply if an earth fault develops. It should be tested quarterly by pressing the button marked "T" or "TEST".

The device should switch off the supply when the button is pressed. To restore the supply simply switch back on in the normal manner. If when the button is pressed the device fails to turn off the power, seek professional advice, or have the R.C.D. unit replaced.

Pack of 25 SAV **GX-RCD3**Pack of 25 SAV **GX-PAT3**Pack of 25 SAV **GX-PAT1**

Great care should be taken before undertaking extension, alteration or repair that all conductors are correctly identified.

Pack of 5 SAV **GX-MCN31**
Pack of 25 SAV **GX-MCN32**
100 Roll SAV **GX-MCN32RL**

Pack of 25 SAV **GX-PAT4**

Please note that the wiring of this installation conforms to the new IEE Wiring Regulations Amendment No.2 to BS 7671:2006.


Any additions to this installation must conform to the above regulations.

Pack of 5 SAV **GX-MCN34**
Pack of 25 SAV **GX-MCN35**

Pack of 25 SAV **GX-PAT2**

Custom Engraving

We can engrave or laser etch signs to your requirements.
Ideal for electrical panels, information plates and bespoke messaging.



ASK FOR MORE INFORMATION



Electrical Labels

Labels

Order Codes

CODE	DESCRIPTION
GX-TCLML	Large Electrical Label Merchandiser

- GX-DL21** Danger 230 Volts - Pack of 25 SAV (75 x 25mm)
GX-DL21RL Danger 230 Volts - 250 Roll SAV (75 x 25mm)
GX-DL41 Danger 400 Volts - 25 Pack SAV (75 x 25mm)
GX-DL41RL Danger 400 Volts - 250 Roll SAV (75 x 25mm)
GX-DHVL1 Danger High Voltage - Pack of 25 SAV (75 x 25mm)
GX-WIE1 Warning Isolate Elsewhere - Pack of 25 SAV (75 x 25mm)
GX-SEC1 Safety Electrical Connection Do Not Remove - Pack of 25 SAV (75 x 25mm)
GX-DL23 Danger 230 Volts - Pack of 25 SAV (75 x 75mm)
GX-DL43 Danger 400 Volts - Pack of 25 SAV (75 x 75mm)
GX-WIE3 Warning Isolate Elsewhere - Pack of 25 SAV (75 x 75mm)
GX-DL22P Danger 230 Volts - Pack of 5 RPVC (75 x 25mm)
GX-DL42P Danger 400 Volts - Pack of 5 RPVC (75 x 25mm)
GX-DHVL1P Danger High Voltage - Pack of 5 RPVC (75 x 25mm)
GX-WIE1P Warning Isolate Elsewhere - Pack of 5 RPVC (75 x 25mm)
GX-PE3 Important Periodic Inspection - Pack of 25 SAV (75 x 75mm)
GX-PE3RL Important Periodic Inspection - 100 Roll SAV (75 x 75mm)
GX-RCD3 Important RCD Test Label - Pack of 25 SAV (75 x 75mm)
GX-MCN31 Caution Mixed Cable Notice - Pack of 5 - SAV (75 x 75mm)
GX-MCN32 Caution Mixed Cable Notice - Pack of 25 SAV (75 x 75mm)
GX-MCN34 Caution Harmonised Cable Notice - Pack of 5 SAV (75 x 75mm)
GX-MCN35 Caution Harmonised Cable Notice - Pack of 25 SAV (75 x 75mm)
GX-PAT1 PAT Test Label - 250 Roll SAV (50 x 15mm)
GX-PAT2 Fail Test Label - 250 Roll SAV (50 x 15mm)
GX-PAT3 PAT Test Label - 250 Roll SAV (50 x 35mm)
GX-PAT4 Fail Test Label - 250 Roll SAV (50 x 35mm)
GX-SEC2 Safety Electrical Connection - Pack of 5 SAV (75 x 75mm)
GX-DLVE43 Danger 415V exists - Pack of 25 - SAV (75 x 25mm)
GX-DLVE41 Danger 415 Volts exists - Pack of 5 SAV (75 x 75mm)


Merchandisers
available in your
local store.



Pack of 25 SAV **GX-DL23**



Pack of 25 SAV **GX-WIE3**



Pack of 25 SAV **GX-DL21**
250 Roll SAV **GX-DL21RL**
Pack of 5 RPVC **GX-DL22P**



Pack of 25 SAV **GX-DHVL1**
Pack of 5 RPVC **GX-DHVL1P**



Pack of 25 SAV **GX-DL41**
250 Roll SAV **GX-DL41RL**
Pack of 5 RPVC **GX-DL42P**



Pack of 25 SAV **GX-WIE1**
Pack of 5 RPVC **GX-WIE1P**



Pack of 25 SAV **GX-DL43**



Pack of 25 SAV **GX-SEC1**



Pack of 25 SAV **GX-PE3**
ROLL OF 100 **GX-PE3RL**




Pack of 25 SAV **GX-RCD3**




Pack of 25 SAV **GX-SEC2**




Pack of 25 SAV **GX-DLVE41**
ROLL OF 100 **GX-DLVE43**



Pack of 25 SAV **GX-PAT3**



Pack of 25 SAV **GX-PAT1**



Pack of 25 SAV **GX-PAT4**



Pack of 25 SAV **GX-PAT2**



Pack of 5 SAV **GX-MCN31**
Pack of 25 SAV **GX-MCN32**
100 Roll SAV **GX-MCN32RL**



Pack of 5 SAV **GX-MCN34**
Pack of 25 SAV **GX-MCN35**





Electrical Labels

Labels

Order Codes

CODE	DESCRIPTION
GX-TCLMS	Large Electrical Label Merchandiser

GX-DL21	Danger 230 Volts - Pack of 25 SAV (75 x 25mm)
GX-DL41	Danger 400 Volts - 25 Pack SAV (75 x 25mm)
GX-WIE1	Warning Isolate Elsewhere - Pack of 25 SAV (75 x 25mm)
GX-DL23	Danger 230 Volts - Pack of 25 SAV (75 x 75mm)
GX-DL43	Danger 400 Volts - Pack of 25 SAV (75 x 75mm)
GX-DL22P	Danger 230 Volts - Pack of 5 RPVC (75 x 25mm)
GX-DL42P	Danger 400 Volts - Pack of 5 RPVC (75 x 25mm)
GX-WIE1P	Warning Isolate Elsewhere - Pack of 5 RPVC (75 x 25mm)
GX-PE3	Important Periodic Inspection - Pack of 25 SAV (75 x 75mm)
GX-RCD3	Important RCD Test Label - Pack of 25 SAV (75 x 75mm)
GX-MCN32	Caution Mixed Cable Notice - Pack of 25 SAV (75 x 75mm)
GX-MCN35	Caution Harmonised Cable Notice - Pack of 25 SAV (75 x 75mm)
GX-PAT1	PAT Test Label - 250 Roll SAV (50 x 15mm)
GX-PAT2	Fail Test Label - 250 Roll SAV (50 x 15mm)
GX-PAT3	PAT Test Label - 250 Roll SAV (50 x 35mm)
GX-PAT4	Fail Test Label - 250 Roll SAV (50 x 35mm)



Pack of 25 SAV **GX-DL41**
Pack of 5 RPVC **GX-DL42P**



Pack of 25 SAV **GX-DL21**
Pack of 5 RPVC **GX-DL22P**



Pack of 25 SAV **GX-WIE1**
Pack of 5 RPVC **GX-WIE1P**



Pack of 25 SAV **GX-DL23**



Pack of 25 SAV **GX-DL43**



Pack of 25 SAV **GX-PE3**




Pack of 25 SAV **GX-RCD3**




Pack of 25 SAV **GX-MCN32**



Pack of 25 SAV **GX-MCN35**



Pack of 25 SAV **GX-PAT3**



Pack of 25 SAV **GX-PAT1**



Pack of 25 SAV **GX-PAT4**



Pack of 25 SAV **GX-PAT2**

Merchandisers available in your local store.



Lockout Kits

Residential Lockout Kit



Kit Contents

- 1 x Lockout Shell Case.
- 1 x Red safety lockout padlocks (KD).
- 1 x Aluminium MCB Lockout Toggle.
- 1 x Single Tag with Eyelet (Double sided).
- 1 x Ultra-fine permanent pen.

Order Codes

CODE	DESCRIPTION
GX -LK1	Residential Lockout Kit

Electrical Lockout Kit



Kit Contents

- 1 x Lockout Shell Case.
- 1 x Red safety lockout padlocks (KD).
- 1 x Aluminium MCB Lockout Toggle
- 1 x MCB Lockout Pin Out Standard
- 1 x MCB Lockout Pin Out Wide
- 1 x Vinyl Coated Lockout Hasp - 25mm
- 1 x Lockout Tague - Do Not Operate (Double sided 10 pack)
- 1 x Universal Extra Large Circuit Breaker Lockout
- 1 x Universal Circuit Breaker Lockout
- 1 x Ultra-fine permanent pen.

Order Codes

CODE	DESCRIPTION
GX-LK2	Electrical Lockout Kit

Maintenance Lockout Kit



Kit Contents

- 1 x Lockout Shell Case.
- 2 x Red safety lockout padlocks (KD).
- 2 x Single Tag with Eyelet (Double sided).
- 1 x MCB Lockout Pin Out Standard.
- 1 x MCB Lockout Pin In Standard.
- 1 x MCB Lockout Pin Out Wide.
- 1 x Universal Circuit Breaker Lockout.
- 1 x Aluminium MCB Lockout Toggle.
- 1 x Multi-purpose Cable Lockout 2.5m.
- 1 x Non-conductive Lockout Hasp - 6 holes.
- 1 x Ultra-fine permanent pen.

Order Codes

CODE	DESCRIPTION
GX-LK3	Maintenance Lockout Kit





Lockout Tagout

Order Codes

CODE	DESCRIPTION
GX-TCLOP	Lockout Tagout Merchandiser

GX-LK1	Residential Lockout Kit
GX-LK2	Electrical Lockout Kit
GX-LK3	Lockout Maintenance Kit
GX-PLR	Red LOTO Safety Padlock
GX-PLG	Green LOTO Safety Padlock
GX-PLB	Blue LOTO Safety Padlock
GX-PLDI	Di-Electric LOTO Safety Padlock
GX-H25	25mm Vinyl Coated LOTO Hasp
GX-LK	LOTO Kit
GX-DNO	Do Not Operate LOTO Tags - Pack of 10 (Blister Packed)
GX-DNS	Do Not Start LOTO Tags - Pack of 10 (Blister Packed)
GX-MCB	Aluminium MCB Lockout
GX-MCB3	MCB Lockout Set of 3


Merchandisers available in your local store.



GX-MCB3



GX-H25



GX-MCB



GX-DNS



GX-DNO



GX-PLR



GX-PLG



GX-PLB



GX-PLDI



GX-LK

SCREWS & FIXINGS




Screws

Fixings

Cable Clips

Fastenings





Wood Screws

Features & Benefits

Counter sunk. Cross Recessed.
Bright Zinc plated. Twin thread.



Order Codes

CODE	SIZE	METRIC GAUGE	QUANTITY
GX-WS8X1/2	8 x 1/2	4.0 x 12mm	200
GX-WS8X5/8	8 x 5/8	4.0 x 18mm	200
GX-WS8X3/4	8 x 3/4	4.0 x 20mm	200
GX-WS8X1	8 x 1	4.0 x 25mm	200
GX-WS8X1-1/4	8 x 1 1/4	4.0 x 30mm	200
GX-WS8X1-1/2	8 x 1 1/2	4.0 x 40mm	200
GX-WS8X1-3/4	8 x 1 3/4	4.0 x 45mm	200
GX-WS8X2	8 x 2	4.0 x 50mm	200
GX-WS8X2-1/2	8 x 2 1/2	4.0 x 60mm	200
GX-WS8X3	8 x 3	4.0 x 80mm	100
GX-WS10X1	10 x 1	5.0 x 20mm	200
GX-WS10X1-1/4	10 x 1 1/4	5.0 x 25mm	200
GX-WS10X1-1/2	10 x 1 1/2	5.0 x 40mm	200
GX-WS10X2	10 x 2	5.0 x 50mm	200
GX-WS10X2-1/2	10 x 2 1/2	5.0 x 60mm	100
GX-WS10X3	10 x 3	5.0 x 80mm	100
GX-WS10X4	10 x 4	5.0 x 100m	200

Machine Screws

Features & Benefits

Nickle plated. Raised hurd. Counter sunk.

Order Codes


CODE	METRIC GAUGE	QUANTITY
GX-MS25	3.5 x 25mm	100
GX-MS30	3.5 x 30mm	100
GX-MS35	3.5 x 35mm	100
GX-MS40	3.5 x 40mm	100
GX-MS50	3.5 x 50mm	100
GX-MS75	3.5 x 75mm	100



Brass Pan Slotted Machine Screws / Nuts and Washers

Features & Benefits

Brass self-coloured.
Various sizes available.




Order Codes

CODE	METRIC GAUGE	QUANTITY
GX-MB46	4.0 x 6mm	100
GX-MB410	4.0 x 10mm	100
GX-MB412	4.0 x 12mm	100
GX-MB416	4.0 x 16mm	100
GX-MB420	4.0 x 20mm	100
GX-MB425	4.0 x 25mm	100
GX-MB430	4.0 x 30mm	100
GX-MB440	4.0 x 40mm	100
GX-MB450	4.0 x 50mm	100
GX-MB475	4.0 x 75mm	100
GX-MBN	M4 Brass Hexagon Nut	100
GX-MBW	M4 Brass Washer	100

Zing Roofing Nut & Bolt

Features & Benefits

Conforms to BS4933.
Grade 4.6 mild steel.
Zinc finish.



Order Codes

CODE	METRIC GAUGE	QUANTITY
GX-RB612	6.0 x 12mm	200
GX-RB616	6.0 x 16mm	200
GX-RB620	6.0 x 20mm	200
GX-RB625	6.0 x 25mm	200



Screws

Capping Nails



ALL
PACKS OF
100

Features & Benefits

Hardened steel. Bright zinc finish.

Order Codes

CODE	QUANTITY
GX-MP25	100
GX-MP30	100
GX-MP35	100

Zinc Alloy Drivas



ALL
PACKS OF
100

Features & Benefits

Zinc alloy steel screw. Light to medium duty use. Fast, simple installations without the need to drill. Suitable for plaster board/cavity walls, doors and ceilings.

Order Codes

CODE	SIZE	COLOUR	QUANTITY
GX-PBD32	32mm	Blue	100

Socket Connector Studs



ALL
PACKS OF
100

Features & Benefits

Brass extension stud for use with m3.5 socket screws.

Order Codes

CODE	DESCRIPTION	QUANTITY
GX-MSCS	M3.5 Socket Connector Studs (Extensions)	100

Fixings



Screws & Red Wall Plugs



Features & Benefits

500 x 8x11/2" woodscrews & 500 red wall plugs.

Order Codes

CODE	DESCRIPTION
GX-TUB1	500 x 8x11/2 & 500 Red Plugs

Screws & Brown Wall Plugs



Features & Benefits

400 x 10x2" woodscrews & 400 brown wall plugs.

Order Codes

CODE	DESCRIPTION
GX-TUB2	400 x 10x2 & 400 Brown Plugs

Screws & Self Driving



Features & Benefits

200 self-driving fixings and screws including 2 x PZ bits

Order Codes

CODE	DESCRIPTION
GX-TUB3	200 Self-Driving Screws & 2 x PZ Bits

Nylon Wall Plugs



Order Codes

CODE	DESCRIPTION	COLOUR	QUANTITY
GX04001	Yellow 4-6 Screw	Yellow	100
GX04002	Red 6-10 Screw	Red	100
GX04003	Brown 10-14 Screw	Brown	100



Cable Clips

Round Cable Clips

Features & Benefits

Hardened zinc plated nails. Suitable for most materials.
Traditional style clip for standard round flexible cables.



Order Codes

CODE	COLOUR	SIZE	QUANTITY
GX01101	○	2.7mm	100
GX01102	○	3.5mm	100
GX01103	○	4.0mm	100
GX01104	○	5.0mm	100
GX01105	○	6.0mm	100
GX01106	○	7.0mm	100
GX01107	○	8.0mm	100
GX01108	○	9.0mm	100
GX01109	○	10.0mm	100
GX01110	○	11.0mm	100
GX01111	○	12.0mm	100
GX01112	○	14.0mm	100
GX01113	○	16.0mm	100
GX01114	●	2.7mm	100
GX01115	●	3.5mm	100
GX01116	●	4.0mm	100
GX01117	●	5.0mm	100
GX01118	●	6.0mm	100
GX01119	●	7.0mm	100
GX01120	●	8.0mm	100
GX01121	●	9.0mm	100
GX01122	●	10.0mm	100
GX01123	●	11.0mm	100
GX01124	●	12.0mm	100
GX01125	●	14.0mm	100

Twin & Earth Flat Cable Clips



Features & Benefits

Hardened zinc plated nails. Suitable for most materials.

Order Codes

CODE	COLOUR	WIDTH	SIZE	QUANTITY
GX01001	●	Single	1.0mm	100
GX01002	●	Single	1.5mm	100
GX01003	●	Single	2.5mm	100
GX01004	●	Single	4.0mm	100
GX01005	●	Single	6.0mm	100
GX01006	●	Single	10.0mm	100
GX01007	●	Single	16.0mm	100
GX01008	●	Double	1.5mm	100
GX01009	●	Double	2.5mm	100

Fastenings



Jack Chain



Order Codes

CODE	DESCRIPTION	SIZE
GX-JCG10	Galvinised Jack Chain	10m

Banding Strip



Features & Benefits

Available in black or red coated universal banding.

Order Codes

CODE	DESCRIPTION	SIZE
GX-BSB1210	Banding Strap Black	12mm x 10m
GX-BSR1210	Banding Strap Red	12mm x 10m

Catenary Wire Kit




Features & Benefits

Universal 30m kit and accessories to suit.
Full range of individual accessories available to order.

Order Codes

CODE	DESCRIPTION
GX-CWK30	Catenary Wire Kit 30m

Connector Box




Features & Benefits

Junction box for fixed wiring and in-line connection
of 2 cables, c/w cord grips.

Order Codes

CODE	DESCRIPTION
GX-CBOX	Connector Box Enclosure c/w Screws



HOLESAWS


Bi-Metal

Hi- Cobalt

Sheet Steel

Holesaw Kit

Holesaw Accessories



Bi-Metal Holesaws

Features & Benefits

Bi-metal holesaws. Variable pitch. Hi speed cutting teeth. 4/6tpi variable pitch. Individually packaged. Independently tested to BS8416:2002. FULL RANGE available including 200mm.



Order Codes

CODE	SIZE
GX-HS16	16mm
GX-HS17	17mm
GX-HS19	19mm
GX-HS20	20mm
GX-HS22	22mm
GX-HS24	24mm
GX-HS25	25mm
GX-HS27	27mm
GX-HS29	29mm
GX-HS30	30mm
GX-HS32	32mm

Order Codes

CODE	SIZE
GX-HS33	33mm
GX-HS35	35mm
GX-HS38	38mm
GX-HS41	41mm
GX-HS44	44mm
GX-HS48	48mm
GX-HS51	51mm
GX-HS52	52mm
GX-HS54	54mm
GX-HS57	57mm

Order Codes

CODE	SIZE
GX-HS60	60mm
GX-HS64	64mm
GX-HS67	67mm
GX-HS70	70mm
GX-HS73	73mm
GX-HS76	76mm
GX-HS79	79mm
GX-HS83	83mm
GX-HS89	89mm
GX-HS92	92mm

Order Codes

CODE	SIZE
GX-HS95	95mm
GX-HS102	102mm
GX-HS105	105mm
GX-HS114	114mm
GX-HS121	121mm
GX-HS127	127mm
GX-HS140	140mm
GX-HS152	152mm
GX-HS178	178mm
GX-HS200	200mm

Hi-Cobalt Holesaws

Features & Benefits

- Manufactured with superior M42 steel giving an increased 8% Cobalt and therefore providing an improved wear resistance at higher drilling temperatures for extended life.
- Variable pitch teeth combine a tough yet smoother cut for reduced vibration.
- Differing teeth tolerances minimises mess and providing more efficiency meaning teeth stay sharper for longer.

Order Codes

CODE	DIAMETER
GX-HS20HC	20mm
GX-HS25HC	25mm
GX-HS32HC	32mm
GX-HS38HC	38mm
GX-HS41HC	41mm
GX-HS51HC	51mm
GX-HS64HC	64mm
GX-HS67HC	67mm
GX-HS70HC	70mm
GX-HS73HC	73mm
GX-HS76HC	76mm



Sheet Steel Holesaws


Features & Benefits

- Impact driver shank included as standard.
- HSS cutting edge with superior M42 steel giving an increased 8% Cobalt for extra durability.
- Increased TPI providing an improved smooth cut.
- Automatic internal ejection spring to release the metal disc for continual and easy drilling.

Order Codes

CODE	DIAMETER
GX-HS20SS	20mm
GX-HS25SS	25mm
GX-HS32SS	32mm
GX-HS38SS	38mm





Holesaws

Holesaw Kit

Kit Contents

14mm - 30mm Arbor. 32mm - 203mm Arbor.
74mm Pilot Drill Bit. 104mm Pilot Drill Bit.
7 x Holesaws: 16mm, 20mm, 25mm, 32mm,
40mm, 51mm & 64mm.

Order Codes

CODE	SIZE
GX-HSKIT1	12 piece Holesaw Kit (includes arbors)

14mm - 30mm Arbor.

32mm - 203mm Arbor.

74mm Pilot Drill Bit.

104mm Pilot Drill Bit.

7 x Holesaws: 16mm,
20mm, 25mm, 32mm,
40mm, 51mm & 64mm.



Holesaws Accessories



Small Arbor



Order Codes

CODE	DESCRIPTION	SIZE
GX-HS ARBR1	Arbor (small)	14-30mm

Large Arbor



Order Codes

CODE	DESCRIPTION	SIZE
GX-HS ARBR2	Arbor (large)	132-203mm

Extension Bar



Order Codes

CODE	DESCRIPTION	SIZE
GX-HS EXT	Extension Bar	300mm

Pilot Drill Bit



Order Codes

CODE	DESCRIPTION	SIZE
GX-HS PILOT	Pilot Drill bit	74mm



DRILLS & ACCESSORIES


Drill Bits

Drill Accessories

Drill Step Set



The brand new range of drill bits and complementary associated accessories from Engex featuring:



HSS TWIST

MASONRY

FLAT WOOD

WOOD AUGER

SDS PLUS MASONRY



HSS Twist Drill Bits



Features & Benefits

Hot roll-forged flute with special heat treatment gives additional toughness with increased durability of the drill bit. 18° point angle design for general purpose. Black oxide finish for greater resistance to wear. Economical high speed steel bit for general drilling. For drilling in steel, cast steel, malleable iron, sintered metal non-ferrous metal and plastic.

Order Codes

CODE	SIZE (mm)
GX-HSS1	1
GX-HSS1.5	1.5
GX-HSS2	2
GX-HSS2.5	2.5
GX-HSS3	3
GX-HSS3.2	3.2
GX-HSS3.5	3.5
GX-HSS4	4
GX-HSS4.5	4.5
GX-HSS4.8	4.8
GX-HSS5	5
GX-HSS5.5	5.5
GX-HSS6	6
GX-HSS6.5	6.5

Order Codes

CODE	SIZE (mm)
GX-HSS7	7
GX- HSS7.5	7.5
GX-HSS8	8
GX-HSS8.5	8.5
GX-HSS9	9
GX-HSS9.5	9.5
GX-HSS10	10
GX-HSS10.5	10.5
GX-HSS11	11
GX-HSS11.5	11.5
GX-HSS12	12
GX-HSS12.5	12.5
GX-HSS13	13

SDS Plus Masonry Drill Bits



Features & Benefits

Fits into all SDS Plus System Hammers. Extremely robust and wear resistant. Small land and wide flute design for less heat build up and maximum dual removal. Conforms to the demands of the Institute for Construction Engineering. Value and great quality for efficient and fast hammer drilling in hard materials like concrete, granite, brick and other similar building materials.

Order Codes

CODE	SIZE (mm)
GX-SDSP5X110	5 x 110
GX-SDSP5.5X110	5.5 x 110
GX-SDSP6X110	6 x 110
GX-SDSP7X110	7 x 110
GX-SDSP5X160	5 x 160
GX-SDSP5.5X160	5.5 160
GX-SDSP6X160	6 x 160
GX-SDSP7X160	7 x 160
GX-SDSP8X160	8 x 160
GX-SDSP10X160	10 x 160
GX-SDSP12X160	12 x 160
GX-SDSP5.5X210	5.5 x 210
GX-SDSP6X210	6 x 210
GX-SDSP20X210	20 x 210
GX-SDSP8X260	8 x 260

Order Codes

CODE	SIZE (mm)
GX-SDSP10X260	10 x 260
GX-SDSP12X260	12 x 260
GX-SDSP14X260	14 x 260
GX-SDSP16X260	16 x 260
GX-SDSP22X260	22 x 260
GX-SDSP25X260	25 x 260
GX-SDSP6X310	6 x 310
GX-SDSP10X410	10 x 410
GX-SDSP24X410	24 x 410
GX-SDSP12X600	12 x 600
GX-SDSP12X1000	12 x 1000
GX-SDSP14X1000	14 x 1000
GX-SDSP20X1000	20 x 1000
GX-SDSP25X1000	25 x 1000



Masonry Drill Bits



Features & Benefits

Professional Quality. Machinef from high carbon steel with carbide tipped cutting edge. Black groove, polished edge. For use on rotary and percussion drills. For drilling in concrete, reinforced concrete, brick and block masonry etc.

Order Codes

CODE	SIZE (mm)
GX-MDB5X150	5 x 150
GX-MDB5.5X150	5.5 x 150
GX-MDB6X150	6 x 150
GX-MDB7X150	7 x 150
GX-MDB8X150	8 x 150
GX-MDB10X150	10 150
GX-MDB14X150	14 x 150

Flat Wood Drill Bits



Features & Benefits

Forged from one piece of high carbon steel. Machined cutting groove for fast boring and cleaner holes. Long centre point for accurate hole location. High visibility stamped size marking for fast and easy identification. Precision ground hex shank prevents spinning in drill chuck or in bit extension. Full length heat treatment guards against bending bit in heavy-duty applications. For both smooth, clean, defined holes in soft and close grained wood, chipboard and floor board.

Order Codes

CODE	SIZE (mm)
GX-FWB16X152	16 x 152
GX-FWB20X152	20 x 152
GX-FWB22X152	22 x 152
GX-FWB25X152	25 x 152
GX-FWB32X152	32 x 152



Wood Auger Drill Bits



Features & Benefits

Made of high carbon steel with threaded tip. Screw threaded centre point for precisely locating the bit and for fast self-starting of the hole. Single outer cutting spur for splinter free drilling and clean holes. Wide lands keep bit straight as it bores through the hole. Full length heat treatment guards against bending bit in heavy-duty applications. For precise drilling in soft and hard wood, large section beam, chipboard and plywood.

Order Codes

CODE	SIZE (mm)
GX-WA20	20 x 230
GX-WA26	26 x 230

SDS Plus Chisel



Features & Benefits

Made from high grade special steel and have a wear-resistant shot-blasted surface finish. High removal capacity thanks to optimal weight distribution. Only used on machine with 'rotationstop' facility. For light chiselling and gouging application on concrete, masonry and natural stone.

Order Codes

CODE
GX-SDSP40C

SDS Chuck Adapter



Features & Benefits

The SDS Plus Chuck Adaptor can be fitted with a standard 3 jaw chuck. With this combination it is possible to use rotary/impact drill bits, wood drill bits and HSS drill bits in drilling hammers. Only use with the hammer effect turned off.

Order Codes

CODE
GX-SDSCA



Keyless Chuck

Features & Benefits

1/2" x 20 Male Thread. Suitable for reverse and percussion drilling. Not suitable for use on hammer drills.

Order Codes

CODE	DESCRIPTION	SIZE (mm)
GX-KC	Keyless Chuck	13



PoziDriv Screwdriver Insert Bits

Features & Benefits

Made of CrV or S2 tool steel. Cold formed for optimum toughness and resistance to wear. Reduces cam-out. Popular in automotive and other applications. Comes in pack of 10.

Order Codes

CODE	DESCRIPTION	SIZE (mm)
GX-PZ2X25	Screwdriver Inset Bits	PZ2 x 25mm
GX-PZ2X50	Screwdriver Inset Bits	PZ2 x 50mm



PoziDriv Screwdriver Insert Bits

Features & Benefits

Accommodates all 1/4" hex insert bits. Can be used with socket wrench or socket adapter. Designed for insert bits only.

Order Codes

CODE	DESCRIPTION
GX-BH	Screwdriver Inset Bits



Drill Step Set



Comes in metal case

Ideal tool for sheet metal workers


For use in steel, brass, copper, aluminium, wood and plastic

Features & Benefits

For drilling cylindrical holes in solid material up to a thickness of 4mm. Ideal tool for sheet metal workers, electrical contractor, auto mechanics and general contractors. Burr free and vibration free drilling. The tapered cutting edges of the next drill step can be used for simultaneous debarring or chamfering of the finished bore at the same time. For use in steel, brass, copper, aluminium, wood and plastic. Drills up to 13 hole sizes with one bit. Comes in metal box.

Order Codes

CODE	SIZE (mm)
GX-STEPSET	3-20mm



COMMODITIES

Cable Rods

Nylon Draw Tape

Cable Spoolers


Earthing

Grommets

Miscellaneous

Cable Safety

Floor Cable Protectors



Cable Rods


Cable Rod Access Kit

Features & Benefits

10x100mm GRP rods. Complete with mini hook, domed bullet & mini eyelet.

Order Codes

CODE	DESCRIPTION	SIZE
GX-CRK	Cable Rod Access Kit	10x100mm



Nylon Draw Tape



Nylon Draw Tape


Features & Benefits

3mm width nylon type, non conductive, low friction, smooth surface.

Order Codes

CODE	DESCRIPTION	SIZE
GX-DRAW10	Nylon Draw Tape (3mm thick)	10m
GX-DRAW20	Nylon Draw Tape (3mm thick)	20m
GX-DRAW30	Nylon Draw Tape (3mm thick)	30m





Cable Spooler


Cable Spooler

Features & Benefits

Run cable single handedly. Large non-slip feet. Steel construction. 6 cable clips. Ideal for all working environments. Additional chain support. Folds flat in seconds.

Order Codes

CODE	DESCRIPTION
GX-SPOOLER	Cable Spooler



Earthing



Earthing Rods

Features & Benefits


High tensile, low carbon steel. Copper bonded. 5/8 threaded for extensions purposes. Driven manually or by power hammer.

Order Codes

CODE	DESCRIPTION	SIZE (mm)
GX-ER38	Copper Bond Earthing Rod	3/8"
GX-ER58	Copper Bond Earthing Rod Extendable	5/8"



Earthing Clamps



Features & Benefits

Accessories to the earth rod range.

Order Codes

CODE	DESCRIPTION	SIZE
GX-BC38	Brass Clamp	3/8"
GX-BC58	Brass Clamp	5/8"

External Couplers



Order Codes


CODE	DESCRIPTION	SIZE
GX-EC58	External Coupler	5/8"

Driving Studs



Order Codes

CODE	DESCRIPTION	SIZE
GX-DS58	Driving Stud	5/8"



Grommets

Grommets - Open and Blank

Features & Benefits

Black PVC. Used to protect cables from any rough edges - open grommets. Used to blank an unnecessary hole - blank grommets.

Order Codes

CODE	DESCRIPTION	QUANTITY
GX-OG20	20mm Open Grommets	100
GX-OG25	25mm Open Grommets	100
GX-CG20	20mm Blank Grommets	100
GX-CG25	25mm Blank Grommets	100



Grommets Strip



Features & Benefits

PE natural colour.
Provides a smooth edge to larger holes/panels.

Order Codes

CODE	DESCRIPTION	SIZE	LENGTH
GX-GS2	Grommet Strip 10m GS2	1.0 - 1.6mm	10m
GX-GS3	Grommet Strip 10m SG3	1.6 - 2.0mm	10m

Miscellaneous



Adaptable Steel Box



Features & Benefits

Galvanised universal adaptable boxes.
Available in 2 sizes, c/w knock outs.

Order Codes

CODE	DESCRIPTION	SIZE (inch)
GX-ASB442	Adaptable Steel Box with KO	4 x 4 x 2"
GX-ASB662	Adaptable Steel Box with KO	6 x 6 x 2"

Dust Sheet



Features & Benefits

100% absorbent cotton twill. 12' x 9'.
Individually wrapped.

Order Codes

CODE	DESCRIPTION	SIZE (m)
GX-DS	Dust Sheet	3.6m x 2.7m

Rubble Sack




Features & Benefits

Pack of 6 heavy duty sacks. 21" x 32".


Order Codes

CODE	DESCRIPTION	QUANTITY
GX-HDRB	Rubble Sack	6



Cable Safety


FLOOR CABLE PROTECTORS, CABLE TIDY WRAPS CABLE TIDY CLIPS, CABLE TIDY BANDS




Floor Cable Protectors



Cut them to size




Link the
protectors together



Easily tuck
away cables





Floor Cable Protectors



Commodities



Light Duty Floor Cable Protectors


Features & Benefits

- Ideal for areas with light foot traffic
- Addresses a common cause of trips, tugs and falls
- Can protect up to 2 x 8mm diameter cables
- Ribbed non-slip base, pre-split rear for ease of use
- Flexible PVC - Supplied coiled in box; simply uncoil to lay flat



Order Codes



CODE	DESCRIPTION
GX-FC60B	Floor Cable Protector 1.8M



Medium Duty Floor Cable Protectors


Features & Benefits


- Ideal for areas with regular foot traffic
- Address a common cause of trips, tugs and falls
- Protects up to 3 x 8mm diameter cable
- Ribbed non-slip base, pre-split rear for ease of use
- Flexible PVC - Neat tapered design, lengths uncoil to lay flat
- Prevent cable insulation damage/electrocution and risk of broken conductor strands
- No sharp kerb-effect that could be obtrusive




Order Codes

CODE	DESCRIPTION
GX-FC83B	Linkable Floor Cable Protector 1.8M






Wrap Cables



Tidy Cables



Store Cables





Cable Tidy Wrap


Features & Benefits

- Versatile, easy to exit cables at any point along length
- Ideal for shorter runs of cable
- 1.5mm gauge LDPE material protects cable insulation
- Expands around bundles of cables up to 40mmw oils/lubricants, acids & alkalis
- Easy to cut to required length, then wrap by hand

Order Codes

CODE	DESCRIPTION
GX-CTSW	Cable Tidy Wrap 2.5M





SITE ELECTRICAL

Floodlights
Extension Reel
Extention Leads
Junction Box
Transformers



Floodlights

Rechargeable Floodlight

Features & Benefits

Rechargeable worklight complete with in car charger & mains charger. IP65. Material: aluminium and steel

Order Codes

CODE	DESCRIPTION
GX-FLR10	10W Rechargeable Floodlight
GX-FLR20	20W Rechargeable Floodlight
GX-FLR30	30W Rechargeable Floodlight

Specification

CODE	CHARGING TIME	WORKING TIME	POWER	DIMENSIONS (MM)
GX-FLR10	5 hours	3 hours	800 lm	145 x 167 x 240
GX-FLR20	8 hours	3 hours	1600 lm	215 x 185 x 285
GX-FLR30	9 hours	3 hours	2400 lm	215 x 185 x 285

Available in

10W

Available in

20W

Available in

30W

Floodlight Tripod



GX-FLTP

IP65

Aluminium

Adjustable pivot

Rechargeable

Steel

Sturdy Base



Rechargeable Floodlight c/w Replacement Battery

Features & Benefits

Rechargeable worklight complete with in car charger & mains charger. IP65. Material: aluminium and steel. 10W Floodlight: 1 battery unit, 20W Floodlight: 2 battery unit.

Order Codes

CODE	DESCRIPTION
GX-FLR10RB	10W Rechargeable Floodlight c/w Single Battery
GX-FLR20RB	20W Rechargeable Floodlight c/w Two Batteries

Specification

CODE	CHARGING TIME	WORKING TIME	POWER	DIMENSIONS (MM)
GX-FLR10RB	5 hours	3-4 hours	650 lm	145 x 182 x 222
GX-FLR20RB	8 hours	3-4 hours	1550 lm	214 x 187 x 302

Available in

10W

Available in

20W

Replacement Battery Pack



GX-FLRB

Floodlight Tripod



GX-FLTP





Floodlights

110V C Frame Site Light

Features & Benefits

C type frame. 3 metre flex and plug.

Order Codes

CODE	DESCRIPTION
GX-FL11010	10W 110V C Frame Site Light
GX-FL11020	20W 110V C Frame Site Light
GX-FL11030	30W 110V C Frame Site Light

Available in

10W

Available in

20W

Available in

30W

Floodlight Tripod



GX-FLTP

Easy to transport

Sturdy Construction

110V

C Type Frame



110V Twin Site Light Complete

Features & Benefits

Tripod complete with 3 metre flex and plug.

Order Codes

CODE	DESCRIPTION
GX-FL11010T	10W 110V Twin Site Light with Tripod
GX-FL11020T	20W 110V Twin Site Light with Tripod
GX-FL11030T	30W 110V Twin Site Light with Tripod

Tripod fully extended high up to floodlight mouting bar is 1.6m max.

3m Flex plug



14
METRES



Junction Box


4 Way Splitter

Features & Benefits

IP44. Complies to EN60309. Tough, lightweight & durable construction. 4 x 16A, 110V sockets.

Order Codes

CODE	DESCRIPTION	VOLTAGE
GX-SEJB110V4W	4 way Junction/Splitter Box	110V



Transformers



Features & Benefits

IP44. Anti-corrosion resistant. Portable. Ultra heavy duty case. Push button reset. Available in 2 power sizes. 2zm input lead.

1500VA Transformer



Order Codes

CODE	DESCRIPTION	OUTPUT	VOLTAGE	AMPS
GX-SET1500/2	1500VA Transformer	2	110V	16A

3000VA Transformer



Order Codes

CODE	DESCRIPTION	OUTPUT	VOLTAGE	AMPS
GX-SET3300/2	3000VA Transformer	2	110V	16A

5000VA Transformer



Order Codes

CODE	DESCRIPTION	OUTPUT	VOLTAGE	AMPS
GX-SET5000/3	5000VA Transformer	2	110V	16A
		1	230V	32A



GLANDS

BW Glands

CW Glands

E1W Glands

CXT Glands

Armoured Glands

Gland Selection Chart

Gland Accessories



Glands



Brass glands. Indoor use for steel wire armoured cables. Up to 75mm entry thread size. Comply to BS6121. Suitable for PVC SWA cable 600/1,000V armoured cable to BS6346.

For use with all types of Single Wire Armour (SWA) cable, providing mechanical cable retention and electrical continuity via armour wire termination. Mainly used in dry indoor conditions.

Features & Benefits

Brass glands. Indoor use for steel wire armoured cables. Up to 75mm entry thread size. Comply to BS6121. Suitable for PVC SWA cable 600/1,000V armoured cable to BS6346.

BW Glands

Order Codes

CODE	GLAND SIZE	MOUNTING THREAD LENGTH	CABLE DIMENSIONS		ARMOUR WIRE DIAMETER
			A (MAX)	B (MAX)	
HA20SBW	20s	10	11.6	15.8	0.90 -1.25
HA20BW	20	10	13.9	19.5	0.90 -1.25
HA25BW	25	10	19.8	27.0	1.25 - 1.60
HA32BW	32	10	26.4	33.5	1.60 - 2.00
HA40BW	40	15	32.4	40.1	1.60 - 2.00
HA50SBW	50s	15	37.8	48.0	2.00 - 2.50
HA50BW	50	15	44.0	52.2	2.00 - 2.50
HA63SBW	63s	15	50.5	60.5	2.5
HA63BW	63	15	56.2	65.5	2.5
HA75SBW	75s	15	62.0	71.6	2.5
HA75BW	75	15	67.5	78.5	2.50 - 3.15

BW LSF (low smoke and fume) Glands

Order Codes

CODE	GLAND SIZE	MOUNTING THREAD LENGTH	CABLE DIMENSIONS		ARMOUR WIRE DIAMETER
			A (MAX)	B (MAX)	
HA20SBWLSF	16/20	10	11.8	15.8	0.90
HA20BWLSF	20	10	13.9	19.5	0.90 -1.25
HA25BWLSF	25	10	19.8	27.0	1.25 - 1.60
HA32BWLSF	32	10	26.4	33.5	1.60 - 2.00
HA40BWLSF	40	15	32.4	40.1	1.60 - 2.00
HA50BWLSF	50	15	44.0	52.2	2.00 - 2.50

Glands

Industrial Glands



Brass glands. Indoor use for steel wire armoured cables. Up to 75mm entry thread size. Comply to BS6121. Suitable for PVC SWA cable 600/1,000V armoured cable to BS6346.

For use with all types of Single Wire Armour (SWA) cable, providing mechanical cable retention and electrical continuity via armour wire termination. Mainly used in dry indoor conditions.

Features & Benefits

Brass glands. Indoor use for steel wire armoured cables. Up to 75mm entry thread size. Comply to BS6121. Suitable for PVC SWA cable 600/1,000V armoured cable to BS6346.

CW Glands

Order Codes

CODE	GLAND SIZE	MOUNTING THREAD LENGTH	CABLE DIMENSIONS		ARMOUR WIRE DIAMETER
			A (MAX)	B (MAX)	
HA20SCW	20s	10	12.5	17.0	0.9 - 1.25
HA20CW	20	10	14.4	20.5	0.9 - 1.25
HA25CW	25	10	20.4	27.0	1.25 - 1.60
HA32CW	32	10	26.5	33.0	1.60 - 2.00
HA40CW	40	15	32.5	40.8	1.60 - 2.00
HA50SCW	50s	15	37.8	48.0	2.00 - 2.50
HA50CW	50	15	44.0	53.5	2.00 - 2.50
HA63SCW	63s	15	50.5	60.35	2.5
HA63CW	63	15	66.0	66.0	2.5
HA75CW	75	15	67.5	78.5	2.50 - 3/15

CW LSF (low smoke and fume) Glands

Order Codes

CODE	GLAND SIZE	MOUNTING THREAD LENGTH	CABLE DIMENSIONS		ARMOUR WIRE DIAMETER
			A (MAX)	B (MAX)	
HA20SCWLSF	20s	10	12.5	17.0	0.90 - 1.25
HA20CWLSF	20	10	14.4	20.5	0.90 - 1.25
HA25CWLSF	25	10	20.4	27.0	1.25 - 1.60
HA40CWLSF	40	15	32.5	40.8	1.60 - 2.00



E1W Glands



E1W Glands are for use with all types of SWA extruded bedding cable where it is essential to produce IP66 seal on the outer sheath and also produce an IP66 seal on the inner sheath. It provides seals on to both inner and outer sheath of the cable. The gland also supplies mechanical cable retention and electrical continuity via armour termination.

Features & Benefits

Glands packs including up to size M32: 2 glands, 2 galvanised lock nuts, 2 earth tags and 2 earth shrouds.

Size M40 above include: 1 gland, 1 galvanised lock nut, 1 earth tag and 1 earth shroud.

Order Codes

CODE	GLAND SIZE	MOUNTING THREAD LENGTH	CABLE DIMENSIONS		ARMOUR WIRE DIAMETER
			A (MAX)	A (MAX)	
HA20S1W	20s	10	11.8	15.8	0.90-1.25
HA25E1W	25	10	19.8	27.5	1.25-1.60
HA50SEW	50s	15	38.0	46.3	2.00-2.50
HA50E1W	50	15	44.0	52.6	2.00-2.50
HA63SE1W	63s	15	49.0	61.5	2.5
HA63E1W	63	15	55.5	65.3	2.5
HA75E1W	75	15	67.0	78.0	2.5

Glands

Industrial Glands



CXT Glands



CXT Glands are for use with all types of screened flexible wire braid (e.g. CY/SY). The cable gland provides an environmental seal on the cable outer sheath for indoor and outdoor use. The cable gland also provides mechanical cable retention and electrical continuity via internal pig-tail termination of the flexible wire braid.

Glands packs including up to size M32: 2 glands, 2 galvanised lock nuts, 2 earth tags and 2 earth shrouds. Size M40 above include: 1 gland, 1 galvanised lock nut, 1 earth tag and 1 earth shroud.

Features & Benefits

Brass glands.
Up to 50mm entry thread size.
Comply to BS6121.

Order Codes

CODE	GLAND SIZE	MOUNTING THREAD LENGTH	CABLE DIMENSIONS	
			A (MAX)	B (MAX)
HA20SCXT	20S	10	6.1	11.6
HA20CXT	20	10	6.5	13.9
HA25CXT	25	10	11.1	19.9
HA32CXT	32	10	17.0	26.15
HA40CXT	40	15	22.0	32.1
HA50SCXT	50S	15	29.8	38.1
HA50CXT	50	15	36.9	43.3



Armoured Gland Selection Chart

Industrial Glands



Selection chart

Engex has been developing and distributing an extensive range of quality cable glands and accessories since their launch in 2006. Engex seek excellence in all areas of activity and strive continually to improve and update their products, innovation and competitiveness.

All Engex glands and accessories are manufactured under stringent quality control systems in accordance with relevant international standards.

Cable Size (mm)	Single Core	2 Core	3 Core	4 Core	5 Core	7 Core	10 Core	12 Core	19 Core	27 Core	37 Core	48 Core
1.5	-	20/16	20/16	20s	20s	20	20	25	25	32	32	32
2.5	-	20s	20s	20s	20	20	25	25	25	32	32	40
4	-	20s	20s	20	20	25	25	25	32	40	40	50
6	-	20s	20	20	20	-	-	-	-	-	-	-
10	-	20	20	25	25	-	-	-	-	-	-	-
16	-	25	25	25	25	-	-	-	-	-	-	-
25	-	25	32	32	32	-	-	-	-	-	-	-
35	-	32	32	32	40	-	-	-	-	-	-	-
50	25	32	32	40	50s	-	-	-	-	-	-	-
70	25	32	32	40	50	-	-	-	-	-	-	-
95	25	32	40	50s	-	-	-	-	-	-	-	-
120	25	40	50s	50s	-	-	-	-	-	-	-	-
150	32	40	50s	50	-	-	-	-	-	-	-	-
185	32	50	50	63s	-	-	-	-	-	-	-	-
240	40	50	63s	63	-	-	-	-	-	-	-	-
300	40	63s	63	75s	-	-	-	-	-	-	-	-
400	50s	63	75s	75	-	-	-	-	-	-	-	-

Please note: the gland sizes recommended in this chart are for guidelines only and are based on cables manufactured to BS5467. Actual cable dimensions must be used for gland selection.

Earthing Clamps



Engex HAEC14 earth clamps are suitable for dry atmospheric conditions. The Engex HAEC15 earth clamp is suitable for all environments and can be identified by the blue safety tag. We also offer a larger version which is the Engex HAEC16 earth clamp.

Order Codes

CODE	SIZE	LENGTH
HAEC14	1 x 10mm	150mm
HAEC15	2 x 10mm	150mm
HAEC16	2 x 16mm	150mm

Fibre Sealing Washers

Engex sealing washers maintain the Ingress Protection (IP) rating between the equipment and cable gland. It may be necessary to fit an entry thread sealing washer at the gland entry interface. The need for a sealing washer will very much depend on the IP rating and code of protection of the equipment and the type of entry holes available within that equipment.



Order Codes

CODE	DESCRIPTION
20FW	M20 Fibre Washer
25FW	M25 Fibre Washer
32FW	M32 Fibre Washer
40FW	M40 Fibre Washer
63FW	M63 Fibre Washer

IP68 Dome-Topped Plastic Glands



Features & Benefits


Premium quality. IP68. UL approved nylon 66, 94V-2. Supplied with lock nut and IP seal. RU E186042, CE and RoHS compliant. 4 colours: grey, black, white and red/ Packed in 10s.

Order Codes

CODE	DESCRIPTION
HAM16BK	16mm IP68 Black Nylon Gland
HAM16G	16mm IP68 Grey Nylon Gland
HAM16W	16mm IP68 White Nylon Gland
HAM20BK	20mm IP68 Black Nylon Gland
HAM20G	20mm IP68 Grey Nylon Gland
HAM20R	20mm IP68 Red Nylon Gland
HAM20W	20mm IP68 White Nylon Gland
HAM25BK	25mm IP68 Black Nylon Gland
HAM25G	25mm IP68 Grey Nylon Gland
HAM25W	25mm IP68 White Nylon Gland
HAM32BK	32mm IP68 Black Nylon Gland
HAM32G	32mm IP68 Grey Nylon Gland
HAM32W	32mm IP68 White Nylon Gland
HAM40BK	40mm IP68 Black Nylon Gland
HAM40G	40mm IP68 Grey Nylon Gland
HAM50BK	50mm IP68 Black Nylon Gland
HAM50G	50mm IP68 Grey Nylon Gland
HAM63BK	63mm IP68 Black Nylon Gland

Sizes

CODE	MOUNTING HOLE						CABLE RANGE
	D1	D2	B1	L1	L2	L3	
HAM16	16	10.8	9.6	15.7	14.4	16.7	16.7
HAM20	20	14.8	12.9	15.0	19.5	18.4	18.4
HAM25	25	18.6	16.4	15.0	18.7	22.3	22.3
HAM32	32	26.0	23.4	14.7	20.3	26.2	26.2
HAM40	40	33.0	30.6	17.7	23.4	31.6	31.6
HAM50	50	41.2	38.2	17.3	25.7	31.6	31.6
HAM63	63	54.1	44.0	18.5	27.0	32.6	32.6



INDEX

HAND TOOLS

HIGH LEVERAGE TOOLS

VDE Diagonal Stripping Cutters	6
VDE Diagonal Stripping Pliers	7
VDE Diagonal Cutting Pliers	8
VDE Heavy Duty Diagonal Cutting Pliers	9
VDE Cable Cutters	10
Superior Cable Cutters	10
VDE Combination Pliers	11
VDE Long Nose Pliers	12
VDE Bent Nose Pliers	12
VDE Wire Stripping Pliers (with spring)	13

PLIERS

Water Pump Pliers	14
Plier Set	15

Screw Drivers

14 Piece VDE Torque Driver Kit	16-17
Slotted VDE	19
Phillips VDE	19
Pozi VDE	20
6 Piece VDE Screwdriver Set	21
Voltage Tester	21
6 Piece Precision Screwdriver Sets	

KNIVES / SCISSORS

VDE Cable Knives & Replacement Blades	22
VDE Cable Scissors	22
Sure Grip Utility Knife	23
Comfort Grip Utility Knife	23
Folding Lock Back Knife	23

HACKSAWS

12" Professional Hacksaw	24
12" Hacksaw	24
Junior Hacksaw	24
Mini Hacksaw	25
Bi-Metal Replacement Blades	25
Junior Hacksaw Blade Set	25

MISCELLANEOUS

Fibreglass Shaft Claw Hammer	26
Premium Tape Measure	26
Boat Spirit Level	27
600mm Spirit Level	27
Automatic Wire Stripping Pliers	28
PVC Ratchet Pipe Cutter	28
Metal Sealant Applicator Gun	29
Heavy Duty Silicon Applicator Gun	29
20mm & 25mm Stock & Die Set	29

TOOL KITS

9 Piece VDE Tool Kit	30
5 piece Tool Pouch	31
7 piece Tool Pouch	31
9 piece Tool Pouch	31
19 Piece Premium Toolkit	33
Velcro Tool Pouch	33

TOOL KITS

Zipper Box	33
Clip Tool Pouch	33
Premium Tool Case	33
Ruck Sack	33
Foldable Sack Truck	34
Conduit Pipe Bender	35

LADDERS

STEP LADDERS

Fiberglass Step Ladders	38-41
Fiberglass Platform Ladders	42
Double Extension Ladders	43
Combination Ladder	44
Ladder Accessories	45
Multi Function Ladder	46-47

PLATFORMS

Aluminium Working Platform	48
Aluminium Hop Up	48
Fibreglass Hop Up	49

CRIMP-PAK

CABLE TIES

Black Cable Ties	52
Natural Cable Ties	53
Coloured Cable Ties	54
Stainless Steel Cable Ties	55

HAND TOOLS

Cable Tie Accessories	56
Cable Tie Tensioner	57
Stainless Steel Tie Gun	57

TERMINALS

Ring Terminals	58
Fork Terminals	59
Flanged Form Terminals	59
Blade Terminals	59
Pin Terminals	60
Push on Female Terminals	60
Push on Female Fully Insulated Terminals	60
Push on Male / Spade Terminals	61
Piggy Back Terminals	61
Splice Through Crimp Terminals	61
Parallel Splice Terminals	62
Butt & End Terminals	62
Male Butt Terminals	62
Female Fully Insulated Bullet Terminals	62
Cord End Terminals	63
Copper Tube Terminals	64
Copper Tube Splices Ring Terminals	65

CRIMP TOOLS

Professional Crimp Tool Set	66
Economy Crimp Tool	67
Ratchet Crimp Tool	67-68

CRIMP TOOLS

Cord End Crimp Tools	68
Heavy Duty Crimp Tool	69
Hydraulic Crimp Tool	69

SAFETY SIGNS

MERCHANDISERS

40 Unit Merchandiser	72-73
Medium Electrical Label Merchandiser	74-75
Large Electrical Label Merchandiser	76-77
Small Electrical Label Merchandiser	78

LOCKOUT

Residential Lockout Kit	79
Electrical Lockout Kit	79
Maintenance Lockout Kit	79
Lockout Tagout Merchandiser	80-81
Lockout Kits	

SCREWS & FIXINGS

SCREWS

Wood Screws	84
Machine Screws	84
Brass Pan Slotted Machine Screws	85
Zing Roofing Nut & Bolt	85
Capping Nails	86
Zinc Alloy Drivas	86
Socket Connector Studs	86

FIXINGS

Screws & Red Wall Plugs	87
Screws & Brown Wall Plugs	87
Screws & Self Driving	87
Nylon Wall Plugs	87

CABLE CLIPS

Round Cable Clips	88
Twin & Earth Flat Cable Clips	88
Jack Chain	89
Banding Strip	89
Catenary Wire Kit	89
Connector Box	89

HOLESAWS

HOLESAWS

Bi-Metal Holesaws	92
Hi-Cobalt Holesaws	93
Sheet Steel Holesaws	93
Holesaw Kits	94

ACCESSORIES

Small Arbor	95
Large Arbor	95
Extension Bar	95
Pilot Drill Bit	95

DRILLS & ACCESSORIES

DRILL BITS

HSS Twist Drill Bits	99
----------------------	----

DRILL BITS

SDS Plus Masonry Drill	99
Masonry Drill Bits	100
Flat Wood Drill Bits	100
Wood Auger Drill Bits	101
SDS Plus Chisel	101
SDS Chuck Adapter	101

DRILL ACCESSORIES

Keyless Chuck	102
PoziDrv Screwdriver Insert Bits	102
Drill Step Bits	102

COMMODITIES

Cable Rod Access Kit	106
Nylon Draw Tape	107
Cable Spooler	108
Earthing Rods	109
Grommets - Open & Blank	110
Grommets Strips	110
Adaptable Steel Box	111
Dust Sheet	111
Rubble Sacks	111

CABLE SAFETY

Floor Cable Protectors	113
Light Duty Floor Cable Protectors	114
Medium Duty Floor Cable Protectors	115
Cable Tidy Wrap	117
Cable Tidy Clips	118
Cable Tidy Band	119

SITE ELECTRICAL

FLOODLIGHTS

Rechargeable Floodlights	122-123
110V C Frame Site Light	124
110V Twin Site Light Complete	125

EXTENSIONS REELS AND CABLES

Extension Reels	126
Extensions Leads	127

ELECTRICAL

4 Way Splitter	128
15000V Transformer	129
3000VA Transformer	129
5000VA Transformer	129

GLANDS

BW Glands	132
BW LSF (Low smoke and fume) Glands	132
CW Glands	133
CW LSF (Low smoke and fume) Glands	133
E1W Glands	134
CXT Glands	135
Armoured Gland Selection Chart	136
Earth Clamps	136
Fibre Sealing Washers	137
IP68 Dome-Topped Plastic Glands	137



10 Sandersons Way, Marton, Blackpool, FY4 4NB

Telephone: 01253 830 900 Fax: 01253 830 901 Email: enquiries@engex-uk.co.uk Web: www.engex-uk.co.uk

E&EO. Whilst every effort has been made to ensure accuracy, no liability is accepted
for the consequences of any errors or omissions in this catalogue.



5 020669 828277

GX-CAT18